

ACB

Your Lighting Company



VISITA NUESTRO NUEVO SHOWROOM
Come and visit our New Showroom






ESTAREMOS ENCANTADOS DE MOSTRARLE TODOS NUESTROS PRODUCTOS
We will be more than glad to present you all our products

ACB



						
ADAN pag. 62	AIR Pag. 21	AKIL Pag. 91	ALAN Pag. 40	ALBA pag. 15	ALDO pag. 39	ALEMA pag. 46
						
ALEMA pag. 47	ANKARA pag. 16	ARAM pag. 249	ARCHER pag. 33	ARIEL pag. 48	ARON pag. 50	ASEN pag. 50
						
AXEL pag. 14	AZAEL pag. 34	BANDIT pag. 58	BASTET pag. 55	BASTRA pag. 17	BEA pag. 37	
						
BELLA pag. 30	BELO pag. 18	BEN pag. 53	BENET pag. 59	BIAK pag. 42	BLAS pag. 19	BOSTON pag. 63
						
BUTON pag. 20	CANDY pag. 56	CARLO pag. 59	CASIO pag. 32	CELSIO pag. 40	CIO pag. 43	
						
CITY Pag. 33	CLIK Pag. 44	CLOCK Pag. 38	CORA pag. 42	CRAFT pag. 44	CURVE pag. 217	
						
CUSTOM pag. 60	DACIA Pag. 269	DANA pag. 16	DARÍO pag. 62	DEKLA pag. 248	DENVER pag. 41	
						
DINA pag. 29	DOBLE pag. 58	DOMINICA Pag. 221	DORA pag. 29	ELBA Pag. 253	ELECTRA pag. 35	



EMES pag. 250



EMMA pag. 23



FER pag. 45



FLEX pag. 45



FLEXI Pag. 228



FRIDA pag. 14



GALA pag. 22



GILDA pag. 31



HOLD pag. 54



ICON pag. 24



IRENE pag. 23



JONAS pag. 37



JONSU pag. 21



JUBAL pag. 50



KALI pag. 90



KENDO pag. 27



KIN pag. 256



KIRA pag. 19



KOWA pag. 27



LAIKA pag. 48



LANDA pag. 45



LEYA pag. 38



LISA pag. 55



LOLA pag. 34



LOTTO pag. 14



LUCA pag. 21



LYON pag. 43



MANAT pag. 51



MAUI Pag. 255



MICRON pag. 45



MILANO pag. 33



NANOK Pag. 225



NEUS pag. 63



NOA pag. 40



NORMA pag. 26



NUI pag. 116



ONDAS pag. 29



PANAU pag. 49



PERLA pag. 31



PICTO pag. 61



PLUMA pag. 23



QUATRO pag. 105



SAMOA Pag. 218



SASA pag. 35



SHADOW pag. 25



SPECTRA pag. 57



TEMPO pag. 28



TUBE pag. 52



UNAX pag. 36



WENDY pag. 53



ZOOM pag. 111

PLAFONES CEILING LAMPS



ADROA pag. 103



AKIL pag. 91



ALB pag. 185



ALISO pag. 69



ANGUS pag. 68



ARELI pag. 106



ASER pag. 87



ASIS pag. 105



ATEN pag. 102




BELENUS pag. 98



BLANCA pag. 85



CINTIA pag. 102



CURVE pag. 99



DILGA pag. 73



DINS pag. 89



DOMINICA pag. 100



ESUS pag. 88



GOYA pag. 103



HALO pag. 101



ISIA pag. 66



ITAL pag. 101



KALI pag. 90



KYOTO pag. 99



LAINA pag. 92



LINA pag. 89



LIVE pag. 84



LONDON pag. 70



MADISON pag. 79



MEG pag. 86



MINSK pag. 74



MOON pag. 83



MUNICH pag. 77



OMAR pag. 107



OSLO pag. 104



PISA pag. 88



QUATRO pag. 105



ROYAL pag. 95



SALSA pag. 96



SAMOA pag. 98



SAUL pag. 107



SHIITAKE pag. 97



SMART pag. 104



SOFT pag. 85



SOL pag. 94



SQUARE pag. 78



STAR pag. 93



TINIA pag. 94



TRIS pag. 92



TURIN pag. 81





URKO pag. 106



UFO pag. 215



UZZA pag. 80

							
ALEXIA pag. 134	ANTEA pag. 135	APEX pag. 119	ARA pag. 127	ARKO pag. 125	ATREZZO pag. 120	BARDO pag. 112	BIOS pag. 143
							
BIP pag. 137	BRANCO pag. 125	BUDELLI pag. 115	CARRE pag. 121	CELIA pag. 150	CLAUDIA pag. 150	CLEVER pag. 123	DEKA pag. 124
							
DELTA pag. 128	DONO pag. 148	DORO pag. 135	DSETA pag. 126	EDGAR pag. 130	EINAR pag. 139	EPSILON pag. 128	FOTSY pag. 137
							
GAMMA pag. 128	HERA pag. 137	IRO pag. 142	ISQUIA pag. 115	KAYU pag. 124	KIDAL pag. 140	KIKA pag. 141	KORE pag. 144
							
KUBA pag. 138	LAMBDA pag. 126	LOU pag. 135	MARCO pag. 148	MIURA pag. 131	NEW pag. 124	NIGA pag. 149	NORK pag. 136
							
NUI pag. 116	PAUL pag. 130	POINT pag. 129	PRADO pag. 131	REGAL pag. 131	REXA pag. 143	ROKU pag. 145	SAN pag. 136
							
SAWA pag. 117	SHIRO pag. 141	SIMA pag. 121	SKY BOX pag. 147	SKY SPOT pag. 146	SOHO pag. 123	SOUL pag. 122	STUDIO pag. 120
							
TAMI pag. 113	TANGO pag. 132	TANGO pag. 133	THRILLER pag. 130	TUBA pag. 112	VANDUO pag. 125	VANIA pag. 126	VELT pag. 136
							
WAKA pag. 138	WINKA pag. 139	YES pag. 124	YON pag. 149	YOTA pag. 128	ZOOM pag. 110	ZOOM pag. 111	ZOOM pag. 111



ABBI pag. 171



ADELA pag. 166



ALB pag. 185



ALDO pag. 39-176



ALIENA pag. 161



AQUA pag. 168



ARES pag. 160



BILL pag. 173



BIMBA pag. 164



BIP pag. 187



BORA pag. 167



BOX pag. 155



BRANCO pag. 186



CASIO pag. 161



CINQUENTAS pag. 174



COPE pag. 158



DINS pag. 185



DOS pag. 181



DUSTIN pag. 160



ESUS pag. 184



FANNY pag. 177



FLOW pag. 163



FOTSY pag. 186



FRANK pag. 170



GARONA pag. 153



GEAL pag. 173



HERA pag. 186



ILMA pag. 167



IZTAC pag. 178



JAL pag. 173



LINA pag. 184



LOIRA pag. 153



LUX pag. 158



MADISON pag. 183



MARA pag. 178



MENORCA pag. 175



MOON pag. 184



NELLY pag. 153



NERO pag. 164



NEUS pag. 177



ORDES pag. 178



SAMBA pag. 156



SARA pag. 157



SILVIA pag. 159



SOFIA pag. 180



SQUARE pag. 183



TEMPO pag. 152



TUBUS pag. 165



URA pag. 154



VANDUO pag. 186



VANILA pag. 179



WAVE pag. 172



YAKU pag. 164



YEI pag. 170



ADRIANA pag. 196



AMANZI pag. 194




BARI pag. 197



BOAN pag. 199



ELMA pag. 196



ESTELA pag. 190



HOLLYWOOD pag. 198



JOUR pag. 189




MAURO pag. 197



MUL pag. 191



OLIVIA pag. 192



OLTER pag. 193



PETRA pag. 197



VESI pag. 196



WEEK pag. 195

PIES FLOOR LAMPS



CURVE pag. 216



DEKLA pag. 248



DION pag. 249



DOMINICA pag. 221



ELBA pag. 252



EMES pag. 250



KIN pag. 256



MAUI pag. 255



MURTA pag. 227



PALMYRA pag. 251



PRAIA pag. 258



YAMENA pag. 259

SOBREMESAS TABLE LAMPS



CURVE pag. 216



DACIA pag. 269



DEKLA pag. 248



DION pag. 249



DOMINICA pag. 221



ELBA pag. 252



ELENA pag. 266



EMES pag. 250



GALANDA pag. 264



KEKE pag. 260



KURE pag. 263



LAYSAN pag. 263



LIRIO pag. 264



MARTA pag. 264



MARTIN pag. 264



MAUI pag. 255



MICAELA pag. 262



MOVE IT pag. 261



PALMYRA pag. 251



SAMOA pag. 218



TAKE ME pag. 261



XOLA pag. 265

COLGANTES PENDANT LAMPS



ALISO pag. 212-213



AUSTRAL pag. 222



BAGAO pag. 245



BELENUS pag. 223



BELEP pag. 243



BELLONA pag. 246



BENDIS pag. 238-239



CIRO pag. 242



CURVE pag. 217



DACIA pag. 269



DAGO pag. 240



DILGA pag. 207



DOMINICA pag. 220



ELBA pag. 253



ELENA pag. 266-267



ENON pag. 233



ESFERA pag. 236



FLEXI pag. 228



GABO pag. 240



GOYA pag. 208



HALO pag. 209



HERC pag. 235



INARI pag. 242



ISIA pag. 204-205




ISIA pag. 202-205



ITAL pag. 231



JARVIS pag. 243



KIN pag. 256-257



KYOTO pag. 211



MAUI pag. 254



MIRTA pag. 226



MOALA pag. 241



NANOK pag. 224-225



NASSAU pag. 230



NINTU pag. 242



ONNA pag. 237



SAMOA pag. 219



SENT pag. 229



SHIITAKE pag. 210



SHIRU pag. 235



STUDIO pag. 232



TAI pag. 237



TAO pag. 247



TANA pag. 244



TARI pag. 235



TIGA pag. 246



UFO pag. 214



ULAWA pag. 247



VOLTA pag. 268



WALLIS pag. 244



XOLA pag. 265



ACAI pag. 276



AKA pag. 281



BOJ pag. 288



BOND pag. 286



CALA pag. 281



CUBE pag. 287



DALIA pag. 276



DURILLO pag. 284



FICUS pag. 280



HULLA pag. 284



KANSAS pag. 283



KEKE pag. 272



KENDO pag. 282



KENTIA pag. 279



KOWA pag. 282



LIMA pag. 289



MADISON pag. 275



MALVA pag. 279



MOVE IT pag. 273



NIGHT pag. 274



OKRA pag. 288



SAUDO pag. 278



SOLAR pag. 286



SQUARE pag. 275



SUN pag. 280



TAKE ME pag. 271



TILO pag. 277



VULCAN pag. 285



YOMU pag. 283





YUCA pag. 278



ZEN pag. 290

ACB


The image features a background with a halftone dot pattern in shades of brown and tan. A white, wavy line starts from the top left, curves downwards and to the right, and then continues horizontally across the middle of the page. The letters 'ACB' are printed in a large, white, serif font in the upper left corner.

The background is a solid brown color with a grid of small, lighter brown dots. A white line starts from the left edge, curves upwards and to the right, then loops back to the left, creating a large, open, teardrop-like shape. The line is thin and has a slight shadow, giving it a three-dimensional appearance.

APLIQUES

WALL LAMPS

FRIDA



Frida

Plaster/Methacrylate-Escayola/Metacrilato


Matt white-Blanco mate

16/3300  LED 6W 540lm 3200K CRI>80 PCB 

A33001B



LOTTO



Lotto

Plaster-Escayola


Matt white-Blanco mate

16/3357  1xE14

A33571B



AXEL



Axel

Plaster/Glass-Escayola/Cristal



Matt white-Blanco mate

16/3299  LED 6W 600lm 3200K CRI>80 PCB 

A32991B



ALBA



Alba

Plaster-Escayola

Matt white-Blanco mate


16/3386-30  **1xE14**

A33861B

16/3386-53  **2xE14**

A33863B

ANKARA



Ankara

Cement/Glass-Cemento/Cristal


16/3684  **1xE14**

Stone cement A36841B
Cemento piedra

Anthracite cement A36841N
Cemento antracita



DANA



Dana


Plaster-Escayola
Matt white-Blanco mate

16/3387  **1xE14**

A33871B



BASTRA



Bastra

Metal-Metal

Textured White-Blanco Texturado

16/3752  LED 12W 960lm 3000K CRI>80 PCB 


A375210B

BELO



Belo

Metal-Metal
Textured white-Blanco texturado




16/3641-12  **LED 10W 895lm 3000K CRI>80** PCB 

A364110B





BLAS



Blas IP54

Aluminium-Aluminio

16/3780  **LED 8W 640lm 3000K CRI>80** PCB 

Textured White-Blanco Texturado


A378020B

Textured Black-NegroTexturado

A378020N



KIRA



Kira IP54


Metal-Metal

Textured white-Blanco texturado

16/3424  **LED 6W 660lm 3200K CRI>80** PCB 

A342410B

BUTON



Buton

Metal-Metal

Textured white-Blanco texturado

16/3695  LED 10W 808lm 3200K CRI>80




A36950B





LUCA



Luca

Metal-Metal


Textured white-Blanco texturado

16/3423-26  LED 10,5W 1100lm 3200K CRI>80 PCB 


A3423100B

16/3423-42  LED 21W 2200lm 3200K CRI>80 PCB 

A3423200B



JONSU



Jonsu

Metal-Metal


16/3694  LED 2x5W 808lm 3200K CRI>80 COB 

Textured white-Blanco texturado A36940B

Satin nickel-Níquel satinado A36940NS



AIR



Air

Metal/Acrylic-Metal/Acrílico

Textured white-Blanco texturado

16/3566  LED 9.2W 729lm 3000K CRI>80 PCB 

ON-OFF TRIAC

A356610B A356610BDT



GALA





Gala

Metal/Methacrylate-Metal/Metacrilato
Textured white-Blanco texturado


16/3189-43  LED 21W 2200lm 3200K CRI>80 PCB 

A318910B





PLUMA



Pluma

Metal-Metal


Textured white-Blanco texturado


16/3268-40  LED 12W 1320lm 3200K CRI>80 PCB 

ON-OFF	TRIAC	DALI/PUSH
A32682B	A32682BDT	A32682BDP



IRENE



Irene

Metal/Acrylic-Metal/Acrílico


White Textured-Blanco texturado

16/3624  LED 12W 1000lm 3200K CRI>80 PCB 

A362410B



EMMA



Emma




Metal-Metal

Textured white-Blanco texturado

16/3349-32  LED 12W 1320lm 3200K CRI>80 PCB 

A33492B

ICON



Icon

Metal/Methacrylate-Metal/Metacrilato
Textured white-Blanco texturado



16/3089-10  LED 8,5W 890lm 3200K CRI>80 PCB 

ON-OFF TRIAC DALI/PUSH

A308910B A308910BDT A308910BDP

16/3089-20  LED 10,5W 1100lm 3200K CRI>80 PCB 

ON-OFF TRIAC DALI/PUSH

A308920B A308920BDT A308920BDP

16/3089-36  LED 21W 2200lm 3200K CRI>80 PCB 


ON-OFF TRIAC DALI/PUSH

A308930B A308930BDT A308930BDP



SHADOW

By Nacho Timón



Shadow


Metal-Metal

16/3796  LED 12W 930lm 3000K CRI>80 PCB 

Textured White-Blanco Texturado A379610B

Textured Black-Negro Texturado A379610N

NORMA



Norma


Metal/Methacrylate-Metal/Metacrilato
Textured white-Blanco texturado

16/3546  LED 12W 840lm 3200K CRI>80 PCB 

A354610B



KOWA



Kowa IP54



Aluminium-Aluminio

16/2033  **LED 2x5W 850lm 3000K CRI>80** COB 

Textured White-Blanco Texturado A203310B

Textured Black-Negro Texturado A203310N

KENDO



Kendo IP54

Aluminium-Aluminio

16/2032  **LED 2x5W 850lm 3000K CRI>80** COB 

Textured White-Blanco Texturado A203210B


Textured Black-Negro Texturado A203210N

TEMPO

By Nacho Timón



By Nacho Timón




Tempo IP44

Metal-Metal
Chrome-Cromo

16/3776 ☐ LED 12W 1140lm 3000K CRI>80 PCB ☐


A377610C

☒ Battery included
Pila incluida





ONDAS



Ondas

Double layer glass-Cristal doble capa
Opal-Opal

16/696




1xE14

A166961OP



DINA



Dina

Double layer glass-Cristal doble capa
Opal-Opal

16/3071




1xE27

A30711OP



DORA



Dora

Double layer glass-Cristal doble capa
Opal-Opal

16/694



1xE27

A166941OP

BELLA



Bella

Double layer glass-Cristal doble capa
Opal-Opal

16/3263-20  1xE27

A32631OP


16/3263-40  2xE27

A32632OP





GILDA




Gilda
Double layer glass-Cristal doble capa
Opal-Opal

16/695	⊕	1xE27
A166951OP		



PERLA



Perla
Double layer glass-Cristal doble capa

16/3020	⊕	2xE27
Opal/Chrome		A30201OP
Opal/Cromo		
Technical gold		A30201OT
Oro técnico		

CASIO



Casio

Metal/Glass-Metal/Cristal

16/13 IP44		2xE27
Chrome/Opal -Cromo/Opal		A16130CR
Satin nickel/Opal-Níquel sat./Opal		A16130NM
White/Opal-Blanco/Opal		A16130B


16/13 IP44		T5 1x24W
Chrome/Opal -Cromo/Opal		A16132CR
Satin nickel/Opal-Níquel sat./Opal		A16132NM
White/Opal-Blanco/Opal		A16132B



Casio

Metal/Glass-Metal/Cristal

16/10 IP44		2xE27
Chrome/Opal -Cromo/Opal		A16100C
Satin nickel/Opal-Níquel sat./Opal		A16100NM
White/Opal-Blanco/Opal		A16100B



Casio

Metal/Glass-Metal/Cristal

16/50 IP21		1xE27
Chrome/Opal -Cromo/Opal		A16501C
Satin nickel/Opal-Níquel sat./Opal		A16501NM
White/Opal-Blanco/Opal		A16501B

16/50 IP44		1xE27
Chrome/Opal -Cromo/Opal		A16501CIP
Satin nickel/Opal-Níquel sat./Opal		A16501NMIP
White/Opal-Blanco/Opal		A16501BIP



CITY

City


Double layer glass/Metal-Cristal doble capa/Metal
Opal/Satin Nickel-Opal/Niquel Satinado

16/3579



1xE27

A35791OP



MILANO

Milano


Glass/Metal-Cristal/Metal
Opal/Satin nickel-Opal/Niquel satinado

16/329



2xE14

A163291NMS



ARCHER

Archer


Metal/Glass-Metal/Cristal
Satin nickel/Opal-Niquel satinado/Opal

16/330




2xE14

A163301NMS



LOLA



Lola

Aluminium-Aluminio

16/3521-34  LED 10W 810lm 3000K CRI>80 PCB 




ON-OFF TRIAC DALI/PUSH

Textured white-Blanco texturado A352110B A352110BDT A352110BDP

Satin nickel-Niquel satinado A352110NS A352110NSDT A352110NSDP



AZAEEL



Azael

Glass/Metal-Cristal/Metal
Opal/Chrome-Opal/Cromo


16/659  1xE27

A166591OP





ELECTRA



Electra


Metal//Methacrylate-Metal//Metacrilato
Satin nickel -Niquel Satinado

16/3625  **LED 12W 1000lm 3200K CRI>80** PCB 

A362510NS



SASA




Sasa

Metal//Methacrylate-Metal//Metacrilato
Satin nickel -Niquel satinado

16/3623  **LED 6W 660lm 3200K CRI>80** PCB 

A36231NMS

UNAX



Unax


Metal-Metal

16/608		1 x E27
White-Blanco		A166081B
Black-Negro		A166081N
Satin nickel-Niquel satinado		A166081NMS





JONAS




Jonas

Metal
Textured white-Blanco texturado

16/3519  1xE27
A35191B



BEA



Bea

Metal/Acrylic-Metal/Acrílico


16/3522  LED 14W 1190lm 3000K CRI>80 PCB 

Textured white-Blanco texturado A352210B

Satin nickel-Níquel satinado A352210NS

Technical gold-Oro técnico A352210OT

LEYA



Leya

Metal-Metal


16/3574  LED 7,2W 715lm 3200K CRI>80 PCB 

Satin nickel-Níquel satinado A357410NS

White textured-Blanco texturado A357410B



CLOCK



Clock

Metal-Metal


Textured white-Blanco texturado

16/3571  LED 12W 860lm 3200K CRI>80 PCB 

A357110B



ALDO




Aldo IP44

Metal/Acrylic-Metal/Acrylic
Chrome-Cromo

16/3432-32		LED 12W 775lm CRI>80	PCB 
3200K	A343210C		
4200K	A343211C		
16/3432-52		LED 20W 1270lm CRI>80	PCB 
3200K	A343220C		
4200K	A343221C		
16/3432-82		LED 30W 2100lm CRI>80	PCB 
3200K	A343230C		
4200K	A343231C		

CELSIO



Celso

Metal-Metal

Textured white-Blanco texturado

16/3415



LED 3W 315lm 3200K CRI>80


PCB



A341510B



ALAN



Alan

Metal/Methacrylate-Metal/Metacrilato

Satin nickel-Níquel satinado

16/737




LED 2W 315lm 3200K CRI>80


PCB



A167371NMS



NOA



Noa

Metal/Methacrylate-Metal/Metacrilato

Satin nickel-Níquel satinado

16/738



LED 2W 315lm 3200K CRI>80


PCB



A167381NMS



DENVER



Denver


Metal-Metal
Textured White-Blanco Texturado

16/3755  LED 7W 600lm 3000K CRI>80 PCB 

A375510B

 USB output: DC 5V-MAX. 2A

CORA



Cora


Metal/Methacrylate-Metal/Metacrilato
Textured white-Blanco texturado

16/3414  LED 6W 610lm 3200K CRI>80 PCB 

A3414101B



BIAK



Biak

Metal-Metal

16/3720  LED 6W 485lm 3200K CRI>80 PCB 


Textured white-Blanco texturado A372010B

Textured black-Negro texturado A372010N





CIO



Cio

Metal-Metal

16/3239  LED 3W 315lm 3200K CRI>80

PCB 

Textured White-Blanco texturado


A32391B

Textured Black-Negro texturado

A32391N



LYON



Lyon

Metal/Methacrylate-Metal/Metacrilato

16/3699  LED 3W 315lm 3200K CRI>80

PCB 

Textured White-Blanco texturado


A36991B

Textured Black-Negro texturado

A36991N



CLICK



Clik

Metal-Metal

16/3736  LED 3W 300lm 3200K CRI>80

COB 

Bronze-Bronce


A373610U

Mat nickel-Niquel mate

A373610NS



CRAFT



Craft

Metal-Metal

16/3737  LED 3W 300lm 3200K CRI>80

COB 

Bronze-Bronce


A373710U

Mat nickel-Niquel mate

A373710NS



LANDA



Landa


Metal/Methacrylate-Metal/Metacrilato

16/3666 LED 3W 315lm 3200K CRI>80



Satin nickel-Níquel satinado A36661NMS


Antique brass-Cuero A36661U



Cutting hole
Agujero corte Ø45 mm



MICRON



Micron

Metal/Methacrylate-Metal/Metacrilato

16/3667 LED 3W 315lm 3200K CRI>80




Satin nickel-Níquel satinado A36671NMS

Antique brass-Cuero A36671U



FLEX



Flex

Metal/Methacrylate-Metal/Metacrilato

16/736 LED 3W 315lm 3200K CRI>80




Satin nickel-Níquel satinado A167361NMS

Antique brass-Cuero A167361U



FER



Fer

Metal/Methacrylate-Metal/Metacrilato

16/739 LED 3W 315lm 3200K CRI>80



Satin nickel-Níquel satinado A167391NMS

Antique brass-Cuero A167391U

ALEMA



Alema


Acrylic/Metal-Acrílico/Metal
Textured White-Blanco Texturado

USB output: DC 5V-MAX. 2A


16/3781-42  LED 9W 720lm 3000K CRI>80 PCB 

A378120B

Shade measures: 190(H) X Ø145 X Ø230
Medidas pantalla:



ALEMA



Alema

Acrylic/Metal-Acrílico/Metal
Textured White-Blanco Texturado

16/3781-32  LED 9W 720lm 3000K CRI>80 PCB 

A378110B

Shade measures: 190(H) X Ø145 X Ø230
Medidas pantalla:



Alema


Acrylic/Metal-Acrílico/Metal
Textured White-Blanco Texturado

3781 Sob.  LED 9W 720lm 3000K CRI>80 PCB 

S378110B

Shade measures: 190(H) X Ø145 X Ø230
Medidas pantalla:

LAIKA



Laika

Metal-Metal
Textured white-Blanco texturado

LED 4W 600lm PCB

LED 3W 315lm PCB

16/3665



3200K CRI>80

Left-izquierda

A36651BIZQ

Right-Derecha

A36651BDER


USB output: 5V-2.5A



Left-izquierda Right-Derecha



ARIEL



Ariel

Metal-Metal
Textured white-Blanco texturado

LED 3W 315lm PCB

LED 8W 840lm PCB

16/3421-32




3200K CRI>80

A342110B



PANAU



Panau

Metal/Methacrylate-Metal/Metacrilato

LED 6W 750lm PCB

LED 3W 315lm PCB


16/3660



3200K CRI>80


Satin nickel-Niquel satinado A36600NS

Textured white-Blanco texturado A36600B





ASEN




Asen

Metal-Metal
Satin nickel-Níquel satinado

16/3445  **LED 3W 315lm 3200K CRI>80**



A34450NS



Jubal

Metal-Metal
Satin nickel-Níquel satinado


16/3567  **LED 3W 315lm 3200K CRI>80**



A35670NS



ARON



Aron

Metal-Metal

16/3240  **LED 3W 315lm 3200K CRI>80**




Satin nickel-Níquel satinado A32401NS

Textured black-Negro texturado A32401N



MANAT



Manat

Metal/Methacrylate-Metal/Metacrilato

LED 12W 970lm PCB

LED 3W 315lm PCB

16/3568



3200K CRI>80

Satin nickel-Níquel satinado


A35680NS

Textured white-Blanco texturado

A35680B

USB output: 5V-0.7A

DISPONIBLE CON CABLE
AVAILABLE WITH CABLE



Manat (Cable)

Metal/Methacrylate-Metal/Metacrilato

LED 12W 970lm PCB

LED 3W 315lm PCB

16/3568



3200K CRI>80

Satin nickel-Níquel satinado

A356810NSCE

Textured white-Blanco texturado

A356810BCE

USB output: 5V-0.7A

Fabric wire & plug-Cable textil y enchufe

TUBE



Tube

Metal/Acrylic-Metal/Acrílico
Textured white-Blanco texturado


16/3682



A36820B


LED 5W 650lm PCB 
LED 3W 315lm PCB 

3200K CRI>80





BEN



Ben

Metal/Cotton-Metal/Algodón
Satin nickel-Níquel satinado




16/656 1xE27 + LED 3W 315lm 3200K CRI>80

A166561NMS

Shade measures-Medidas pantalla: 155(H) X 200 X 170



WENDY



Wendy

Metal/Cotton-Metal/Algodón
Textured white-Blanco texturado

16/3697 1xE27 + LED 3W 315lm 3200K CRI>80 PCB

A36971B

Shade measures-Medidas pantalla: 158(H) X Ø160



Hold

Metal/Cotton-Metal/Algodón
Textured white-Blanco Texturado


16/3664  1xE27 + LED 3W 315lm 3200K CRI>80 PCB 

Left-Izquierda A36641BIZQ

Right-Derecha A36641BDER

 USB output: 5V-2A

Shade measures-Medidas pantalla:
140(H) X Ø140 X Ø180




Left-Izquierda



Right-Derecha



LISA



Lisa


Metal/Cotton-Metal/Algodón

16/3272 **1xE27+LED 3W 315lm 3200K CRI>80** PCB

Satin nickel-Níquel satinado A32721NS

White-Blanco A32721B

Shade measures-Medidas pantalla: 180(H) X Ø250 X Ø200



Lisa

Metal/Cotton-Metal/Algodón

16/3350 **1xE27**


Satin nickel-Níquel satinado A33501NS

White-Blanco A33501B

Shade measures: 180(H) X Ø250 X Ø200
Medidas pantalla:



BASTET



Bastet

Metal/Cotton-Metal/Algodón


Chrome-Cromo

16/3727 **1xE27**

A37271C

Shade measures: 160(H) X Ø260 X 134
Medidas pantalla:

CANDY



Candy


Metal/Methacrylate-Metal/Metacrilato

Textured white-Blanco texturado

16/3698  LED 5W 404lm 3200K CRI>80 PCB 

A36980B

 USB output: 5V-2.5A



Candy (Cable)

Metal/Methacrylate-Metal/Metacrilato


Textured white-Blanco texturado

16/3698  LED 5W 404lm 3200K CRI>80 PCB 


A36980BCE

 USB output: 5V-2.5A Fabric wire & plug-Cable textil y enchufe





SPECTRA




Spectra IP54

Aluminium-Aluminio
White-Blanco

3731/12  LED 7W 770lm 3200K CRI>80 PCB 

P37310B

DOBLE



Doble

Metal/Cotton-Metal/Algodón

16/779  1xE14+LED 3W 315lm 3200K CRI>80 PCB 


Satin nickel-Níquel satinado A167791NMS

Antique brass-Cuero A167791U

Shade measures: 140(H) X 200 X 120
Medidas pantalla: 140(H) X 200 X 120



BANDIT



Bandit

Metal/Cotton-Metal/Algodón

Satin nickel-Níquel satinado

16/784  1xE27+GU10 LED

A167841NMS


Shade measures: 190(H) X 300 X 140
Medidas pantalla: 190(H) X 300 X 140

Bulbs not included-Bombillas no incluidas





CARLO



Carlo

Metal/Cotton-Metal/Algodón

Satin nickel-Níquel satinado

16/780




1xE27

A167801NMS

Shade measures: 190(H) X 300 X 140
Medidas pantalla:



BENET



Benet

Metal/Cotton-Metal/Algodón

16/782



1xE27+LED 3W 315lm 3200K CRI>80 PCB

Satin nickel-Níquel satinado

A167821NMS

Chrome-Chrome

A167821C

Shade measures-Medidas pantalla: 190(H) X 300 X 140

CUSTOM




Custom

Metal/Methacrylate-Metal/Metacrilato
Satin nickel-Niquel satinado

16/3033 LED 2W 315lm 3200K CRI>80 PCB

A303310NS




CUSTOM PERSONALIZABLE

Minimum order required

Pedido mínimo

PICTO



CUSTOM PERSONALIZABLE

Minimum order required

Pedido mínimo

Picto

Metal/Methacrylate-Metal/Metacrilato
Aluminium-Aluminio

16/3563  LED 2W 176lm 3000K CRI>80 PCB 

N A356310AN
WC A356310AWC
Wi-Fi A356310AWF

DARIO




Dario

Metal-Metal


16/3795  LED 9W 720lm 3000K CRI>80 PCB 

Satin nickel-Níquel satinado A379510NS

Antique brass-Cuero A379510U



ADÁN




Adán

Metal-Metal


16/3413  LED 6W 530lm 3200K CRI>80 PCB 

Satin nickel-Níquel satinado A341310NS

Antique brass-Cuero A341310U



BOSTON




Boston

Metal-Metal


16/752-35  LED 4W 440lm 3200K CRI>80 PCB 

Satin nickel-Níquel satinado A167521NMS

Antique brass-Cuero A167521U



NEUS



Neus


Metal/Methacrylate-Metal/Metacrilato
Textured white-Blanco texturado

16/3017-20  LED 10.5W 1100lm 3200K CRI>80 PCB 

A301710B

16/3017-36  LED 21W 2200lm 3200K CRI>80 PCB 

A301730B



ACB






PLAFONES

CEILING LAMPS

ISIA




REMOTE CONTROL AVAILABLE
MANDO A DISTANCIA DISPONIBLE



CASAMBI PROTOCOL AVAILABLE
PROTOCOLO CASAMBI DISPONIBLE



RAL COLOURS AVAILABLE (PLEASE CONSULT)
COLORES RAL DISPONIBLES (CONSULTAR)



Suspension
See pag. 203

Isia


Metal/Acrylic-Metal/Acrílico

3453/40 LED 40W 3660lm CRI>80 PCB []



ON/OFF-TRIAC DALI/PUSH

Textured White/Opal	3200K	P345340BDT	P345340BDP
Blanco texturado/Opal	4200K	P345341BDT	P345341BDP
Textured Black/Opal	3200K	P345340NDT	P345340NDP
Negro texturado/Opal	4200K	P345341NDT	P345341NDP
Technical Gold/Opal	3200K	P345340OTDT	P345340OTDP
Oro técnico/Opal	4200K	P345341OTDT	P345341OTDP



Isia


Metal/Acrylic-Metal/Acrílico

3453/80 LED 88W 8440lm CRI>80 PCB []



ON/OFF-TRIAC DALI/PUSH

Textured White/Opal	3200K	P345380BDT	P345380BDP
Blanco texturado/Opal	4200K	P345381BDT	P345381BDP
Textured Black/Opal	3200K	P345380NDT	P345380NDP
Negro texturado/Opal	4200K	P345381NDT	P345381NDP
Technical Gold/Opal	3200K	P345380OTDT	P345380OTDP
Oro técnico/Opal	4200K	P345381OTDT	P345381OTDP



Isia


Metal/Acrylic-Metal/Acrílico

3453/60 LED 55W 5250lm CRI>80 PCB []



ON/OFF-TRIAC DALI/PUSH

Textured White/Opal	3200K	P345360BDT	P345360BDP
Blanco texturado/Opal	4200K	P345361BDT	P345361BDP
Textured Black/Opal	3200K	P345360NDT	P345360NDP
Negro texturado/Opal	4200K	P345361NDT	P345361NDP
Technical Gold/Opal	3200K	P345360OTDT	P345360OTDP
Oro técnico/Opal	4200K	P345361OTDT	P345361OTDP



Isia


Metal/Acrylic-Metal/Acrílico

3453/100 LED 150W 12300lm CRI>80 PCB []



ON/OFF-TRIAC DALI/PUSH

Textured White/Opal	3200K	P345390BDT	P345390BDP
Blanco texturado/Opal	4200K	P345391BDT	P345391BDP
Textured Black/Opal	3200K	P345390NDT	P345390NDP
Negro texturado/Opal	4200K	P345391NDT	P345391NDP
Technical Gold/Opal	3200K	P345390OTDT	P345390OTDP
Oro técnico/Opal	4200K	P345391OTDT	P345391OTDP





ANGUS

**Angus**

Metal/Acrylic-Metal/Acrylic
Opal/White-Opal/Blanco



3447/40  **LED 40W 2900lm CRI>80** 

ON-OFF **TRIAC** **DALI/PUSH**

3000K P344760B P344760BDT P344760BDP


4200K P344761B P344761BDT P344761BDP

3447/60  **LED 70W 4000lm CRI>80** 


ON-OFF **TRIAC** **DALI/PUSH**

3000K P344770B P344770BDT P344770BDP

4200K P344771B P344771BDT P344771BDP



ALISO



Suspension
See pag. 213

Aliso

Metal/Acrylic-Metal/Acrílico

Textured white-Blanco texturado

3742/60 Pla.  LED 55W 4600lm 3200K CRI>80 PCB 

P374290B

LONDON



EXTRA FLAT
EXTRA PLANO

London

Metal/Acrylic-Metal/Acrílico

3760/40  **LED 22W 1460lm 3000K CRI>80** PCB 

Textured white/Opal
Blanco texturado/Opal P376040B

Textured black/Opal
Negro texturado/Opal P376040N

3760/60  **LED 42W 2790lm 3000K CRI>80** PCB 


Textured white/Opal
Blanco texturado/Opal P376060B

Textured black/Opal
Negro texturado/Opal P376060N

3760/80  **LED 72W 4780lm 3000K CRI>80** PCB 

Textured white/Opal
Blanco texturado/Opal P376080B

Textured black/Opal
Negro texturado/Opal P376080N







DILGA



Suspension
See pag. 207



Ø 450



130



Ø 600



130

Dilga

Metal/Acrylic-Metal/Acrílico



3450/45 **LED 27W 2100lm 3200K CRI>80** PCB

	ON-OFF	TRIAC
Textured White/Opal <i>Blanco texturado/Opal</i>	P345010B	P345010BDT
Textured Black/Opal <i>Negro texturado/Opal</i>	P345010N	P345010NDT

3450/60 **LED 48W 3730lm 3200K CRI>80** PCB

	ON-OFF	TRIAC
Textured White/Opal <i>Blanco texturado/Opal</i>	P345020B	P345020BDT
Textured Black/Opal <i>Negro texturado/Opal</i>	P345020N	P345020NDT

MINSK

**Minsk**

Metal/Acrylic-Metal/Acrílico

3758/40  **LED 22W 1460lm 3000K CRI>80** PCB 

Textured white/Opal


P375840B

Blanco texturado/Opal

Textured black/Opal

P375840N

Negro texturado/Opal

**3758/60**  **LED 42W 2790lm 3000K CRI>80** PCB 

Textured white/Opal


P375860B

Blanco texturado/Opal

Textured black/Opal

P375860N

Negro texturado/Opal





MUNICH



MUNICH

**Munich**

Metal/Acrylic-Metal/Acrílico

80 400		3759/40 LED 26W 1725lm 3000K CRI>80 PCB
		Textured white/Opal P375940B
		Blanco texturado/Opal
		Textured grey/Opal P375940GR
		Gris texturado/Opal
80 600		3759/60 LED 52W 3450lm 3000K CRI>80 PCB
		Textured white/Opal P375960B
		Blanco texturado/Opal
		Textured grey/Opal P375960GR
		Gris texturado/Opal

SQUARE




Square IP54

Acrylic-Acrílico
White-Blanco

3512/28  LED 24W 1700lm CRI>80 

ON-OFF P351213B **3000K 4000K 6500K**



* 3 in 1: Set the colour temperature before installing

* 3 en 1: Configura la temperatura de color antes de la instalación


AVAILABLE IN 3 VERSIONS: ON-OFF, SENSOR AND EMERGENCY
DISPONIBLE EN 3 VERSIONES: ON-OFF, SENSOR Y EMERGENCIA

MADISON



Madison IP54

Acrylic-Acrílico
White-Blanco



3497/28  LED 24W 1700lm CRI>80 PCB 

ON-OFF P349713B **3000K 4000K 6500K**

 **SENSOR** P349713BMS **3000K 4000K 6500K**

* 3 in 1: Set the colour temperature before installing
* 3 en 1: Configura la temperatura de color antes de la instalación

 **EMERGENCY** P349711BEM **4000K**

SENSOR



Motion sensor
Sensor de movimiento



5s-30 min.
Hold time
Tiempo de espera



6 m. max.
Mounting height
Altura de montaje



Automatic On/Off
Encendido automático



1 - 6 m.
Detection zone
Zona de detección



10 - 2000 lux
Light sensor
Sensor de luminosidad

EMERGENCY



3h.
Time
Tiempo



EMERGENCY

UZZA

**Uzza**

Metal/Acrylic-Metal/Acrílico
Opal/White-Opal/Blanco




3448/40 **LED 40W 2900lm CRI>80** PCB


	ON-OFF	TRIAC	DALI/PUSH
3000K	P344860B	P344860BDT	P344860BDP
4200K	P344861B	P344861BDT	P344861BDP

3448/60 **LED 70W 4000lm CRI>80** PCB

	ON-OFF	TRIAC	DALI/PUSH
3000K	P344870B	P344870BDT	P344870BDP
4200K	P344871B	P344871BDT	P344871BDP



TURIN

**Turin**

Metal/Acrylic/Metal/Acrílico
Textured white/Opal-Blanco texturado/Opal

3761/90 **LED 36W 2390lm CRI>80** PCB

3000K P376110B

4000K P376111B


3761/120 **LED 55W 3650lm CRI>80** PCB

3000K P376120B

4000K P376121B



MOON

**Moon IP44**

Metal/Double layer glass-Metal/Cristal doble capa

Opal-Opal


969/19  **1xE27**

P096910P

969/19  **LED 12W 1100lm CRI>80**PCB 

3200K P096910OP

4200K P096911OP

**969/28**  **2xE27**


P096920P

969/28  **LED 18W 1890lm CRI>80**PCB 

2700K P096929OPL

3200K P096920OPL

4200K P096920OPL

**969/35**  **2xE27**

P096930P

969/35  **LED 24W 2520lm CRI>80**PCB **ON-OFF****TRIAC****DALI/PUSH**

2700K P096939OPL

3200K P096930OPL

4200K P096930OPL

P096939OPLDT


P096930OPLDT

P096930OPLDP

P096939OPLDP

P096930OPLDP

P096930OPLDP

**969/50**  **3xE27**

P096970P

969/50  **LED 36W 4000lm CRI>80**PCB **ON-OFF****TRIAC****DALI/PUSH**

2700K P096979OPL

3200K P096970OPL

4200K P096971OPL

P096979OPLDT

P096970OPLDT

P096971OPLDT

P096979OPLDP

P096970OPLDP

P096971OPLDP






LIVE

LiveMetal/Glass-Metal/Cristal
Opal/Chrome-Opal/Cromo3631/38  **LED 28W 2550lm 3000K CRI>80** PCB 

P363150OPL


3631/52  **LED 54W 5000lm 3000K CRI>80** PCB 

P363170OPL





BLANCA



Blanca


Double layer glass/Metal-Cristal doble capa/Metal
Opal-Opal

3117  **2xE27**

P31172OP



SOFT



Soft

Double layer glass/Metal-Cristal doble capa/Metal
Opal-Opal


390/22  **1xE27**

P03901OP

390/28  **2xE27**

P03903OP

MEG

**Meg Semi.**

Double layer glass-Cristal doble capa
Opal/Satin Nickel-Opal/Níquel Satinado




5338/40  3xE27

DS53385OP

5338/40  LED 20W 1750lm 3000K CRI>80 PCB 

DS533850OPL

**Meg**

Double layer glass-Cristal doble capa
Opal-Opal




338/30  2xE14

P03384OP

338/30  LED 14W 1220lm 3000K CRI>80 PCB 

P033840OPL

**Meg**

Double layer glass-Cristal doble capa
Opal-Opal



338/40  3xE27


P03385OP

338/40  LED 20W 1750lm 3000K CRI>80 PCB 

P033850OPL




ASER

**Aser Semi.**

Metal/Double layer glass-Metal/Cristal doble capa
Opal/Satin Nickel-Opal/Níquel Satinado

3223/35  2xE27

DS32235NMS

**Aser**

Metal/Double layer glass-Metal/Cristal doble capa
Opal/Satin Nickel-Opal/Níquel Satinado

3223/35  2xE27

P32235NMS

3223/45  3xE27

P32237NMS

PISA

Pisa IP44

Metal/Double layer glass-Metal/Cristal doble capa
Opal/Satin Nickel-Opal/Niquel Satinado


206/28  **2xE27**

P02062NMS

206/28  **LED 18W 1890lm CRI>80** PCB 

3200K P020620NMSL

4200K P02062NMSL

**Pisa IP44**

Metal/Double layer glass-Metal/Cristal doble capa
Opal/Satin Nickel-Opal/Niquel Satinado


206/35  **2xE27**

P02063NMS

206/35  **LED 24W 2520lm CRI>80** PCB 

3200K P020630NMSL

4200K P02063NMSL



ESUS

Esus IP44

Metal/Double layer glass-Metal/Cristal doble capa
Opal/Chrome-Opal/Cromo


490/24  **2xE27**

P04903OP

490/24  **LED 12W 1100lm CRI>80** PCB 

3200K P049030OPL

4200K P049031OPL

**Esus IP44**

Metal/Double layer glass-Metal/Cristal doble capa
Opal/Chrome-Opal/Cromo

490/31  **2xE27**


P04904OP

490/31  **LED 18W 1890lm CRI>80** PCB 

2700K P049049OPL

3200K P049040OPL

4200K P049041OPL




DINS

**Dins IP44**

Metal/Double layer glass

Metal/Cristal doble capa

**395/26** **2xE27**

White-Opal/Blanco-Opal P03952B

Satin nickel-Opal/Niquel satinado-Opal P03952NMS

395/26 **LED 18W 1890lm CRI>80** PCB

2700K P039529BCL

White-Opal/Blanco-Opal 3200K P039520BCL

4200K P03952BCL

2700K P039529NSL


Satin nickel-Opal/Niquel sat. Opal 3200K P039520NSL

4200K P03952NSL

Dins IP44

Metal/Double layer glass

Metal/Cristal doble capa

**395/32** **2xE27**

White-Opal/Blanco-Opal P03953B

Satin nickel-Opal/Niquel satinado-Opal P03953NMS

395/32 **LED 24W 2520lm CRI>80** PCB

2700K P039539BL

White-Opal/Blanco-Opal 3200K P03953BSL

4200K P03953BL

2700K P039539NSL

Satin nickel-Opal/Niquel sat. Opal 3200K P03953NMSL

4200K P03953NSL




LINA

Lina IP44

Metal/Double layer glass-Metal/Cristal doble capa

Opal/Satin Nickel-Opal/Niquel Satinado

**3472/25** **2xE27**

P34722NS

3472/25 **LED 18W 1890lm CRI>80** PCB

2700K P347229NSL


3200K P347220NSL

4200K P347221NSL

Lina IP44

Metal/Double layer glass-Metal/Cristal doble capa

Opal/Satin Nickel-Opal/Niquel Satinado

**3472/30** **2xE27**

P34723NS


3472/30 **LED 24W 2520lm CRI>80** PCB

2700K P347239NSL

3200K P347230NSL

4200K P347231NSL

KALI

**Kali**


Metal/Glass-Metal/Cristal
Opal/Chrome-Opal/Cromo

5412 **2xE27**

D54125OP

5412 **LED 20W 1750lm 3000K CRI>80** PCB


D541250OPL

**Kali**

Metal/Glass-Metal/Cristal
Opal/Chrome-Opal/Cromo

16/412 **1xE14**

A164121OP

**Kali**

Metal/Glass-Metal/Cristal
Opal/Chrome-Opal/Cromo

412/30 **2xE27**

P04124OP

412/30 **LED 14W 1220lm 3000K CRI>80** PCB

P041240OPL

412/40 **2xE27**


P04125OP

412/40 **LED 20W 1750lm 3000K CRI>80** PCB

P041250OPL





AKIL

**Akil**

Metal/Glass-Metal/Cristal
Opal/Chrome-Opal/Cromo

16/511  **1xE27**

A165111T

**Akil**

Metal/Glass-Metal/Cristal
Opal/Chrome-Opal/Cromo

511/30  **2xE27**

P05114T

511/40  **2xE27**

P05115T

TRIS

Tris


Metal/Double layer glass-Metal/Cristal doble capa
Opal-Opal

3118



1xE27

P31182OP



LAINA

Laina


Metal/Double layer glass-Metal/Cristal doble capa
Opal-Opal

3646



1xE27

P36462OP



STAR

**Star**


Metal/Acrylic-Metal/Acrílico
Textured white/Opal-Blanco texturado/Opal

3728/47  LED 40W 2400lm 3200K CRI>80 PCB 

P372870B

3728/57  LED 60W 4100lm 3200K CRI>80 PCB 

P372880B



SOL

**Sol**


Metal/Glass-Metal/Cristal
Craquele/Chrome-Craquelado/Cromo

285/30  **2xE27**

P02854RY

285/30  **LED 20W 1750lm 3000K CRI>80** PCB 

P028540RYL

**Sol**


Metal/Glass-Metal/Cristal
Craquele/Chrome-Craquelado/Cromo

285/40  **3xE27**

P02855RY

285/40  **LED 36W 2480lm 3000K CRI>80** PCB 

P028550RYL




TINIA

**Tinia**

Metal/Decorated glass-Metal/Cristal decorado
Opal-Opal

3429/30  **2xE27**


P34294OP

**Tinia**

Metal/Decorated glass-Metal/Cristal decorado
Opal-Opal

3429/40  **3xE27**

P34296OP




ROYAL



100		Royal
		Metal/Acrylic-Metal/Acrílico
Ø400		Opal-Opal
		3629/40 LED 36W 2520lm 3000K CRI>80
		P362960OPL
110		
Ø500		3629/50 LED 48W 3360lm 3000K CRI>80
		P362980OPL

SALSA

**Salsa**

Metal/Acrylic-Metal/Acrílico

3569/46  **LED 30W 1800lm 3000K CRI>80** 

Textured white/Opal-Blanco texturado/Opal P356950B

Technical gold/Opal-Oro técnico/Opal P356950OT

3569/60  **LED 40W 2400lm 3000K CRI>80** 

Textured white/Opal-Blanco texturado/Opal P356960B

Technical gold/Opal-Oro técnico/Opal P356960OT

SHIITAKE




Suspension
See pag. 210

**Shiitake**


Metal/Acrylic-Metal/Acrílico
Black/Gold -Negro/Oro

3740/55  LED 60W 4560lm 3200K CRI>80 PCB 

P374060NO



BELENUS

**Belenus**

Metal/Methacrylate-Metal/Metacrilato

White-Blanco

3444/30  **LED 50W 2770lm 3200K CRI>80** PCB 

ON-OFF

TRIAC

DALI



P344410B

P344410BDT

P344410BDP

Suspension
See pag. 223

SAMOA

**Samoa**

Metal/Methacrylate-Metal/Metacrilato

Textured White-Blanco Texturado


3642/3P  **LED 24W 1938lm 3200K CRI>80** PCB 

P364230B

Suspension
See pag. 219



KYOTO




Suspension
See pag. 211

Kyoto


Metal/Methacrylate-Metal/Metacrilato
Textured White-Blanco Texturado

3587/45  LED 28W 2100lm 3200K CRI>80 PCB 

P358710B



CURVE



Suspension
See pag. 217

Curve

Aluminium/Aluminio-Acrílico/Aluminio
Opal/Matt Nickel-Opal/Níquel Mate

3384/50  LED 50W 4488lm 3200K CRI>80 PCB 

P338470NM

DOMINICA




Suspension
See pag. 220


Dominica

Aluminium/Methacrylate-Aluminio/Metacrilato
Silver/Chrome-Plata/Cromo


3681/57  LED 40W 3224lm 3200K CRI>80 PCB 

P368170C





Suspension
See pag. 231




Ital


Metal/Glass-Metal/Cristal
Chrome/White-Cromo/Blanco

3543/52 LED 32W 3168lm 3200K CRI>80 PCB

P354370C



Suspension
See pag. 209



Halo


Metal/Glass-Metal/Cristal

3724/52 LED 36W 3064 lm CRI>80 PCB

Textured White/Sanded	2700K	P372479B
Blanco Texturado/Arenado	3200K	P372470B
Satin Nickel/Sanded	2700K	P372479NSL
Níquel Satinado/Arenado	3200K	P372470NSL



ATEN



Aten

Metal/Acrylic-Metal/Acrílico
Opal/White-Opal/Blanco

3706/40  **LED 36W 4000lm CRI>80** PCB 

3200K P3706610OP


4200K P3706611OP

White/Sanded

Blanco Texturado/Arenado



CINTIA



Cintia

Aluminium/Acrylic-Aluminio/Acrílico
Aluminium/Opal-Aluminio/Opal


3419/35  **LED 20W 1890 lm 4000K CRI>80** PCB 

P34191AL





GOYA



Suspension
See pag. 208

**Goya**

Metal/Acrylic-Metal/Acrílico

388/48 **4xE27**

White-Opal/Blanco-Opal

P03885B


388/48 **LED 36W 2480lm 3000K CRI>80** PCB

White-Opal/Blanco-Opal

P038850BL



ADROA


**Adroa**Aluminium/Acrylic-Aluminio/Acrílico
Opal-Opal**3417/35** **LED 20W 1300lm 3000K CRI>80** PCB

P341720OP

3417/40 **LED 36W 2480lm 3000K CRI>80** PCB

P341730OP

SMART


MINI
SPOT**Smart**Double layer glass-Cristal doble capa
Opal/Chrome-Opal/Cromo**521**  **1xGU10**

P052110P

Bulb not included • Bombilla no incluida



OSLO

**Oslo**Metal/Glass-Metal/Cristal
Textured White-Blanco Texturado**3565/35**  **LED 28W 2700lm 3200K CRI>80** PCB 

P356530B


3565/50  **LED 38W 3590lm 3200K CRI>80** PCB 

P356570B





ASIS



Asis

Metal/Glass-Metal/Cristal
Opal/Chrome-Opal/Cromo

3360/42  **LED 36W 4680lm 3200K CRI>80** PCB 


P33606OP

3360/56  **LED 54W 7200lm 3200K CRI>80** PCB 

P33608OP



QUATRO





Quatro

Metal/Glass-Metal/Cristal
Forge/Opal-Forja/Opal

16/3721  **1xE27**

A37211F



Quatro

Metal/Glass-Metal/Cristal
Forge/Opal-Forja/Opal

3721/30  **2xE27**

P37214F


ARELI

**Areli**


Acrylic-Acrílico
Opal/White-Opal/Blanco

7147/120  **LED 36W 3400lm 6000K CRI>80** PCB 

P714733BL



URKO

**Urko**

Metal/Acrylic-Metal/Acrílico
Opal-Opal

966/80  **T8-2x36W** 


F09662OP


966/129  **LED T8-2x20W 3200lm CRI>80** 

4200K P096621OPL



6000K P096622OPL

Tube included-Tubo incluido





SAUL

**Saul**

Metal/Methacrylate-Metal/Metacrilato

7113/80  **LED 18W 2046lm 3200K CRI>80** PCB 

Textured Grey-Gris Texturado F71132GRL


Textured White-Blanco Texturado F71132BL

7113/95  **LED 22W 2442lm 3200K CRI>80** PCB 

Textured Grey-Gris Texturado F71133GRL

Textured White-Blanco Texturado F71133BL

OMAR

**Omar Col.**Aluminium/Acrylic-Aluminio/Acrílico
Silver-Plata

Tube included-Tubo incluido

1020 Col.  **T5-2x54W** 

FC10203AL

1020 Col.  **LED T5-2x16W 3200lm 6500K CRI>80** 

C102012AL

Tube included-Tubo incluido

OmarAluminium/Acrylic-Aluminio/Acrílico
Silver-Plata

Tube included-Tubo incluido

1020  **T5-2x54W** 

F10203AL

1020  **LED T5-2x16W 3200lm 6500K CRI>80** 

P102012AL

Tube included-Tubo incluido

ACB





ILUMINACIÓN TÉCNICA

TECHNICAL
LIGHTING

ZOOM Ceiling



Aluminium-Aluminio


3764/6  **1xGU10 LED**

Textured White-Blanco Texturado P37640B


Textured Black-Negro Texturado P37640N

Brushed Gold-Oro Satinado P37640OS

Bronze-Bronce P37640BR

 Surface
SuperficieBulb not included
Bombilla no incluida

ZOOM Pendant



Aluminium-Aluminio


3764/6  **1xGU10 LED**

Textured White-Blanco Texturado C37640B

Textured Black-Negro Texturado C37640N

Surface
SuperficieBulb not included
Bombilla no incluida

ZOOM Spot



Aluminium-Aluminio


3764/6  **1xGU10 LED**

Textured White-Blanco Texturado F37640B

Textured Black-Negro Texturado F37640N

Surface
SuperficieTilting & rotating
Basculante y rotatorioBulb not included
Bombilla no incluida

ZOOM Wall



Aluminium-Aluminio


16/3764-18  **2xGU10 LED**

Textured White-Blanco Texturado A37640B

Textured Black-Negro Texturado A37640N

Surface
SuperficieBulb not included
Bombilla no incluida

ZOOM Track

TRIFASICO
UNIVERSAL4 PISTAS
4 WIRE TRACKLIGHT

Aluminium-Aluminio


3764/6  **1xGU10 LED**

Textured White-Blanco Texturado T37640B

Textured Black-Negro Texturado T37640N

Surface
SuperficieTilting & rotating
Basculante y rotatorioBulb not included
Bombilla no incluida

BARDO Recessed



Aluminium-Aluminio

3556/14 LED 10W 705lm 3000K CRI>80 COB


CREE

OPTIONAL
DIMMABLE

	ON-OFF	TRIAC	DALI/PUSH
Textured White/White Blanco Texturado/Blanco	P355610B	P355610BDT	P355610BDP
Textured White/Gold Blanco Texturado/Oro	P355610O	P355610ODT	P355610ODP
Textured White/Silver Blanco Texturado/Plata	P355610PL	P355610PLDT	P355610PLDP

Recessed
Empotrable Tilting & rotating
Basculante y rotatorio Cutting hole
Agujero corte Ø120 mm.

TUBA Recessed



Aluminium-Aluminio

3537/5 LED 13W 870lm 3000K CRI>80 COB


CREE

OPTIONAL
DIMMABLE

	ON-OFF	TRIAC	DALI/PUSH
Textured White/White Blanco Texturado/Blanco	P353710B	P353710BDT	P353710BDP
Textured White/Gold Blanco Texturado/Oro	P353710O	P353710ODT	P353710ODP
Textured White/Silver Blanco Texturado/Plata	P353710PL	P353710PLDT	P353710PLDP

Recessed
Empotrable Tilting & rotating
Basculante y rotatorio Cutting hole
Agujero corte Ø 75 mm.

TUBA Surface



Aluminium-Aluminio

3536/5 LED 13W 870lm 3000K CRI>80 COB


CREE

Textured White/White Blanco Texturado/Blanco	P353610B
Textured White/Gold Blanco Texturado/Oro	P353610O
Textured White/Silver Blanco Texturado/Plata	P353610PL

Surface
Superficie Tilting & rotating
Basculante y rotatorio




TAMI Recessed

Aluminium-Aluminio
White-Blanco**CREE** OPTIONAL
DIMMABLE**3416/16** **LED 30W 2700lm 4000K CRI>80** COB **ON-OFF****TRIAC****DALI/PUSH**


P341610B

P341610BDT

P341610BDP

Recessed
EmpotrableTilting & rotating
Basculante y rotatorioCutting hole
Agujero corte Ø 125 mm.

TAMI Surface

Aluminium-Aluminio
White-Blanco**CREE** **3550/16** **LED 30W 2700lm 4000K CRI>80** COB


P355010B

Surface
SuperficieTilting & rotating
Basculante y rotatorio

24°



ISQUIA Spot for Track/Foco para carril



CREE

Aluminium-Aluminio


4117/6 LED 13W 1200lm 3000K CRI 95 COB

Textured White-Blanco texturado R411710B

Textured Black-Negro texturado R411710N

4 PISTAS
4 WIRE TRACKLIGHT

ISQUIA Spot for Track/Foco para carril



CREE

Aluminium-Aluminio


4117/9 LED 27W 2625lm 3000K CRI 95 COB

Textured White-Blanco texturado R411720B

Textured Black-Negro texturado R411720N

4 PISTAS
4 WIRE TRACKLIGHT

BUDELLI Spot for Track/Foco para carril GU10



Aluminium-Aluminio

4116/5 1xGU10 LED


Textured White-Blanco texturado R41161B

Textured Black-Negro texturado R41161N

Bulb not included
Bombilla no incluida4 PISTAS
4 WIRE TRACKLIGHT

NUI

Wall



Metal/Acrylic-Metal/Acrílico
Textured white-Blanco Texturado


Built in Driver
Driver Integrado

4115/B1  LED 5W 400lm 3200K CRI>80 PCB 

R4115B10B

 Surface
Superficie

Wall & Ceiling



Metal/Acrylic-Metal/Acrílico
Textured white-Blanco Texturado


Built in Driver
Driver Integrado

4115/R3  LED 15W 1200lm 3200K CRI>80 PCB 

R4115R30B

 Surface
Superficie

Ceiling



Metal/Acrylic-Metal/Acrílico
Textured white-Blanco Texturado


Built in Driver
Driver Integrado

4115/P3  LED 15W 1200lm 3200K CRI>80 PCB 

R4115P30B

 Surface
Superficie

SAWA Surface



Metal-Metal
Textured White-Blanco Texturado





3440/26 LED 10W 1350lm 3000K CRI>80 COB

ON-OFF	TRIAC	DALI
P344010B	P344010BDT	P344010BDP

Surface Superficie Tilting & rotating Basculante y rotatorio 88.4°



SAWA Surface



Metal-Metal
Textured White-Blanco Texturado



16/3439 LED 5W 675lm 3000K CRI>80 COB

ON-OFF	DALI
A343910B	A343910BDP


Surface Superficie Tilting & rotating Basculante y rotatorio 90.6°



APEX Surface



APEX Surface



Metal-Metal


3412/10 **LED 13W 891lm 3000K CRI>80** COB **CREE** OPTIONAL
DIMMABLE

	ON-OFF	TRIAC
Textured White-Blanco Texturado	3000K P341210B	P341210BDT
	4000K P341211B	P341211BDT
Textured Black-Negro Texturado	3000K P341210N	P341210NDT

 Surface
Superficie Tilting & rotating
Basculante y rotatorio

38°

APEX Recessed



Metal-Metal


Textured White-Blanco Texturado

3538/10 **LED 13W 891lm 3000K CRI>80** COB **CREE** OPTIONAL
DIMMABLE

ON-OFF	TRIAC	DALI/PUSH
P353810B	P353810BDT	P353810BDP

 Recessed
Empotrable Tilting & rotating
Basculante y rotatorio 38° Cutting hole
Agujero corte Ø 90 mm.

APEX Recessed



Metal-Metal


3688 **1xGU10 LED**

Textured White-Blanco Texturado P36881B

Textured Black-Negro Texturado P36881N

 Recessed Cutting hole Bulb not included
Empotrable Agujero corte Ø 100mm. Bombilla no incluida

STUDIO Surface



EPISTAR

Aluminium/Acrylic-Aluminio/Acrílico


3235/9 LED 8W 755lm 3200K CRI>80 COB

White-Blanco P32350B

Black-Negro P32350N

Surface
Superficie

STUDIO Surface



EPISTAR

Aluminium/Acrylic-Aluminio/Acrílico

3235/12 LED 12W 1118lm 3200K CRI>80 COB

ON-OFF

TRIAC

White-Blanco P32351B


P32351BDT

Black-Negro P32351N

P32351NDT

Surface
Superficie

ATREZZO Surface



EPISTAR

Aluminium/Acrylic-Aluminio/Acrílico



3251/9 LED 8W 755lm 3200K CRI>80 COB

White-Blanco P32510B

Black-Negro P32510N

Surface
Superficie

ATREZZO Surface



EPISTAR

Aluminium/Acrylic-Aluminio/Acrílico

3251/12 LED 12W 1118lm 3200K CRI>80 COB

ON-OFF

TRIAC

White-Blanco P32511B


P32511BDT

Black-Negro P32511N

P32511NDT

Surface
Superficie

CARRE Surface



Aluminium-Aluminio


Textured White-Blanco texturado

3762/10  1xGU10 LED

P376210B

 Surface
Superficie Tilting
Basculante 30°Bulb not included
Bombilla no incluida

SIMA Surface



Aluminium-Aluminio


Textured White-Blanco texturado

3763/10  1xGU10 LED

P376310B

 Surface
Superficie Tilting
Basculante 30°Bulb not included
Bombilla no incluida

SOUL Surface



Aluminium-Aluminio

3792/8  **1xGU10 LED**

Textured White-Blanco Texturado P37920B

Textured White/Satin Gold-Blanco Texturado-Oro Satinado P37920BOS

Textured Black-Negro Texturado P37920N

Textured Black/Satin Gold-Negro Texturado-Oro Satinado P37920NOS

 Surface
Superficie


Bulb not included
Bombilla no incluida

SOHO Surface



Aluminium/Acrylic-Aluminio/Acrílico
Textured White-Blanco Texturado

3542/10		LED 10W 900lm 3200K CRI>80	PCB	
ON-OFF		TRIAC	DALI/PUSH	
P354210B		P354210BDT	P354210BDP	
3542/20		LED 20W 1800lm 3200K CRI>80	PCB	
ON-OFF		TRIAC	DALI/PUSH	
P354220B		P354220BDT	P354220BDP	




CLEVER Surface




Aluminium/Acrylic-Aluminio/Acrílico
Textured White-Blanco Texturado

3541/9		LED 8W 640lm 3200K CRI>80	PCB	
ON-OFF		TRIAC	DALI/PUSH	
P354110B		P354110BDT	P354110BDP	
3541/12		LED 12W 900lm 3200K CRI>80	PCB	
ON-OFF		TRIAC	DALI/PUSH	
P354120B		P354120BDT	P354120BDP	



NEW Surface



Aluminium/Acrylic-Aluminio/Acrílico
Textured white-Blanco texturado




3722/12  LED 8W 640lm 3200K CRI>80 PCB 

P372210B

 Surface
Superficie

YES Surface



Aluminium/Acrylic-Aluminio/Acrílico
Textured white-Blanco texturado




3723/12  LED 8W 640lm 3200K CRI>80 PCB 

P372310B

 Surface
Superficie

DEKA Surface



Aluminium/Acrylic-Aluminio/Acrílico
Textured white-Blanco texturado




3431/12  LED 8W 640lm 3200K CRI>80 PCB 

P343110B

 Surface
Superficie

KAYU Surface



Aluminium/Acrylic-Aluminio/Acrílico
Textured white-Blanco texturado





3430/12  LED 8W 640lm 3200K CRI>80 PCB 

P343010B

 Surface
Superficie

VANDUO Surface



Metal/Glass-Metal/Cristal

3467 IP54**1xGU10 LED**

Textured white-Blanco texturado

P34671B

Chrome-Cromo

P34671C

Satin Nickel-Níquel Satinado


P34671NS

Surface
Superficie

Max. 56 mm

Bulb not included
Bombilla no incluida

BRANCO Surface



Metal/Glass-Metal/Cristal

3468 IP54**1xGU10 LED**

Textured white-Blanco texturado

P34681B

Chrome-Cromo

P34681C

Satin Nickel-Níquel Satinado


P34681NS

Surface
Superficie

Max. 56 mm

Bulb not included
Bombilla no incluida

ARKO Surface



Metal-Metal

3441**LED 5W 450lm 3000K CRI>80**

COB

Textured white-Blanco texturado


P344110B

Textured black-Negro texturado

P344110N

Surface
Superficie


LAMBDA Surface

Plaster/Escayola
White-Blanco**3405/9**  **1xGU10 LED**

P34051B

Surface
SuperficieBulb not included
Bombilla no incluida


DSETA Surface

Plaster/Escayola
White-Blanco**3406/7**  **1xGU10 LED**

P34061B

Surface
SuperficieBulb not included
Bombilla no incluida


VANIA Surface

Plaster/Escayola
White-Blanco**3358/9**  **1xGU10 LED**

P33581B

Surface
SuperficieBulb not included
Bombilla no incluida

VANIA Surface

Plaster/Escayola
White-Blanco**3358/13**  **1xGU10 LED**

P33582B

Surface
SuperficieBulb not included
Bombilla no incluida


ARA Recessed



CEMENT-CEMENTO



PLASTER-ESCAYOLA



Plaster-Escayola
Cement-Cemento

3750/10



1xGU10 LED

White-Blanco

P37501B

Beige-Beige

P37501BE

Recessed
Empotrable


Cutting hole
Agujero corte
 Ø 90 mm.

Bulb not included
Bombilla no incluida

DELTA Recessed



Tilting
Basculante



Plaster/Escayola
White-Blanco

3410/15  **1xGU10 LED**

P34101B



Cutting hole
Agujero corte




Bulb not included
Bombilla no incluida

EPSILON Recessed



Tilting
Basculante



Plaster/Escayola
White-Blanco

3411/15  **1xGU10 LED**

P34111B




Cutting hole
Agujero corte



Bulb not included
Bombilla no incluida

YOTA Recessed



Plaster/Escayola
White-Blanco

3408/13  **1xGU10 LED**

P34081B




Cutting hole
Agujero corte



Bulb not included
Bombilla no incluida

GAMMA Recessed



Plaster/Escayola
White-Blanco

3409/12  **1xGU10 LED**

P34091B




Cutting hole
Agujero corte



Bulb not included
Bombilla no incluida

POINT Recessed



Plaster/Escayola
White-Blanco

Driver Included
Driver Incluido

CREE

3785/6 **LED 2W 165lm 3000K CRI>80**

E378510B


Recessed
Empotrable
Replaceable LED
LED reemplazable

Cutting hole
Agujero corte

$\varnothing 63\text{mm}$



THRILLER Recessed



Plaster-Escayola
White-Blanco

Driver Included
Driver Incluido





16/3784 LED 2W 165lm 3000K CRI>80 PCB

E378410B

Recessed
Empotrable
Replaceable LED
LED reemplazable

Cutting hole 103 mm
Agujero corte

PAUL Recessed



Included-Incluido

Aluminium-Aluminio
White-Blanco

Driver Included
Driver Incluido





16/3578 LED 3W 290lm 3200K CRI>80 PCB

A357810B

Recessed
Empotrable

Cutting hole Ø61mm.
Agujero corte

EDGAR Recessed



Included-Incluido

Aluminium-Aluminio
White-Blanco

Driver Included
Driver Incluido





16/3577 LED 3W 290lm 3200K CRI>80 PCB

A357710B

Recessed
Empotrable

Cutting hole 65 mm
Agujero corte 40 mm





Included-Incluido

MIURA Recessed

Aluminium-Aluminio
Textured White-Blanco TexturadoDriver Included
Driver Incluido**CREE****16/3765**  **LED 3W 245lm 3000K CRI>80** PCB 

E376510B



 Recessed
EmpotrableCutting hole  Ø 44 mm.
Agujero corte

Included-Incluido

PRADO Recessed

Aluminium-Aluminio
Textured White-Blanco TexturadoDriver Included
Driver Incluido**CREE****16/3766**  **LED 3W 245lm 3000K CRI>80** PCB 

E376610B

 Recessed
EmpotrableCutting hole  Ø 44 mm.
Agujero corte

Included-Incluido



REGAL Recessed

Aluminium-Aluminio
Textured white-Blanco texturadoDriver Included
Driver Incluido**CREE****16/3767 IP54**  **LED 3W 245lm 3000K CRI>80** PCB 

E376710B

 Recessed
EmpotrableCutting hole  Ø 73 mm
Agujero corte

TANGO



Aluminium-Aluminio
Textured black-Negro Texturado




3768/111  LED 30W+15W 2700lm+1300lm 3000K CRI 90 PCB 

C376810N



OSRAM

TANGO Recessed



Aluminium-Aluminio
White/Black-Blanco/Negro

Driver Included
Driver Incluido

OSRAM

3768/15  **LED 10W 900lm 3000K CRI 90**

PCB 

E376810B

 Recessed
Empotrable



Cutting hole  37 mm
Agujero corte 140 mm

Aluminium-Aluminio
White/Black-Blanco/Negro

Driver Included
Driver Incluido

OSRAM

3768/28  **LED 20W 1800lm 3000K CRI 90**

PCB 



E376820B

 Recessed
Empotrable



Cutting hole  37 mm
Agujero corte 273 mm

ALEXIA Recessed



Metal/Acrylic-Metal/Acrílico
White/Sanded-Blanco/Arenado

Driver Included
Driver Incluido




3690/15 IP43  LED 10W 800lm 3000K CRI>80 PCB 

P369010B

 Recessed
Empotrable

Cutting hole  35 mm
Agujero corte 140 mm



Metal/Acrylic-Metal/Acrílico
White/Sanded-Blanco/Arenado

Driver Included
Driver Incluido




3690/28 IP43  LED 20W 1600lm 3000K CRI>80 PCB 

P369020B

 Recessed
Empotrable

Cutting hole  35 mm
Agujero corte 270 mm

ANTEA Recessed



Aluminium-Aluminio
Textured White-Blanco Texturado

3788  **1xGU10 LED**


E37880B

 Recessed
Empotrable

Cutting hole
Agujero corte
 Ø 65mm.

Bulb not included
Bombilla no incluida

DORO Recessed



Aluminium-Aluminio
Textured White-Blanco Texturado

3789  **1xGU10 LED**


E37890B

 Recessed
Empotrable

Cutting hole
Agujero corte
 Ø 65mm.

Bulb not included
Bombilla no incluida

LOU Recessed



Aluminium-Aluminio
Textured White-Blanco Texturado

3790  **1xGU10 LED**


E37900B

 Recessed
Empotrable

Cutting hole
Agujero corte
 Ø 65mm.

Bulb not included
Bombilla no incluida

SAN Recessed



Metal-Metal
White-Blanco

3679/1  **1xGU10 LED**


P36791B

 Recessed
Empotrable

Cutting hole
Agujero corte
90 mm
90 mm

Bulb not included
Bombilla no incluida

SAN Recessed



Metal-Metal
White-Blanco

3679/2  **2xGU10 LED**


P36792B

 Recessed
Empotrable

Cutting hole
Agujero corte
90 mm
170 mm

Bulb not included
Bombilla no incluida

NORK Recessed



Metal-Metal
White-Blanco

3677/9 IP64  **1xGU10 LED**

P36771B


 Recessed
Empotrable

Cutting hole
Agujero corte
Ø 75 mm.

IP20
IP64

Bulb not included
Bombilla no incluida

VELT Recessed



Aluminium-Aluminio
White-Blanco

3678/9 IP64  **1xGU10 LED**

P36781B


 Recessed
Empotrable

Cutting hole
Agujero corte
Ø 72 mm.


IP20
IP64

Bulb not included
Bombilla no incluida

BIP Recessed



ANTI DESLUMBRAMIENTO
ANTI GLARE



Metal/Glass-Metal/Cristal

SHARP

3680 IP64 **LED 10W 750lm 3000K CRI>80** COB

White-Blanco

P36800B

Chrome-Cromo

P36800C



Satin Nickel-Niquel Satinado

P36800NS

Recessed
Empotrable

Cutting hole
Agujero corte Ø 68 mm.

FOTSY Recessed



Metal/Glass-Metal/Cristal

3555 IP54 **1xGU10 LED**

Chrome-Cromo

P35551C

Satin Nickel-Niquel Satinado



P35551NS

Recessed
Empotrable

Cutting hole
Agujero corte Ø 70 mm.

Bulb not included
Bombilla no incluida

HERA Recessed



Metal/Glass-Metal/Cristal

3554 IP54 **1xGU10 LED**

White-Blanco

P35541B

Chrome-Cromo

P35541C

Satin Nickel-Niquel Satinado


P35541NS

Recessed
Empotrable

Cutting hole
Agujero corte Ø 70 mm.

Bulb not included
Bombilla no incluida

WAKA Recessed



Aluminium-Aluminio


Textured white-Blanco texturado

3725/10  **1xGU10 LED**

P37251B

Recessed
EmpotrableCutting hole
Agujero corteBulb not included
Bombilla no incluida
 $\varnothing$ 70 mm.

WAKA Recessed



Aluminium-Aluminio


Textured white-Blanco texturado

3725/20  **2xGU10 LED**

P37252B

Recessed
EmpotrableCutting hole
Agujero corteBulb not included
Bombilla no incluida
 90 mm
185 mm

KUBA Recessed



Aluminium-Aluminio


Textured white-Blanco texturado

3726/10  **1xGU10 LED**

P37261B

Recessed
EmpotrableCutting hole
Agujero corteBulb not included
Bombilla no incluida
 $\varnothing$ 70 mm.

KUBA Recessed



Aluminium-Aluminio

Textured white-Blanco texturado


3726/20  **2xGU10 LED**

P37262B

Recessed
EmpotrableCutting hole
Agujero corteBulb not included
Bombilla no incluida
 90 mm
185 mm



WINKA Recessed



Aluminium-Aluminio
Textured white-Blanco texturado

3557/8  **1xGU10 LED**


P35571B

 Recessed
Empotrable

Cutting hole
Agujero corte
 Ø 70 mm.

Bulb not included
Bombilla no incluida

EINAR Recessed



Aluminium-Aluminio
Textured white-Blanco texturado

3558/8  **1xGU10 LED**




P35581B

 Recessed
Empotrable

Cutting hole
Agujero corte
 Ø 70 mm.

Bulb not included
Bombilla no incluida

KIDAL Recessed



Aluminio-Aluminio

Textured White-Blanco Texturado

CREE


3771/8 LED 7W 600lm CRI>80

COB

	ON-OFF	TRIAC	DALI/PUSH
3000K	E377100B	E377100BDT	E377100BDP
4000K	E377101B	E377101BDT	E377101BDP

 Recessed
Empotrable
Cutting hole
Agujero corte

Ø 75 mm.



Aluminio-Aluminio

Textured White-Blanco Texturado

CREE

3771/10 LED 12W 1080lm CRI>80

COB

	ON-OFF	TRIAC	DALI/PUSH
3000K	E377110B	E377110BDT	E377110BDP
4000K	E377111B	E377111BDT	E377111BDP

 Recessed
Empotrable
Cutting hole
Agujero corte

Ø 90 mm.

SHIRO Recessed




STEP 1



STEP 2



It does not need specific installation.
It works with normal switch
No necesita instalación específica.
Funciona con interruptor normal



Acrylic-Acrílico
White-Blanco




3427/16 **LED 13+2W 1050lm 4000K CRI>80** PCB

P342711B

Recessed
Empotrable

Cutting hole Ø 140 mm.

IP20
IP23



Acrylic-Acrílico
White-Blanco




3426/16 **LED 15W 1050lm 4000K CRI>80** PCB

P342611B

Recessed
Empotrable

Cutting hole Ø 140 mm.

IP20
IP23



Acrylic-Acrílico
White-Blanco



3426/22 **LED 30W 2100lm 4000K CRI>80** PCB

P342621B


Recessed
Empotrable

Cutting hole Ø 210 mm.

IP20
IP23



IRO Recessed



Aluminium-Aluminio
Textured White-Blanco Texturado


3533/10 **LED 6W 260lm CRI>80** PCB

3200K P353310B

4200K P353311B

Recessed
Empotrable

Cutting hole
Agujero corte Ø 95 mm.



Aluminium-Aluminio
Textured White-Blanco Texturado

3533/23 **LED 24W 1244lm CRI>80** PCB

3200K P353330B


4200K P353331B

Recessed
Empotrable

Cutting hole
Agujero corte Ø 205 mm.



BIOS Recessed



Aluminium/Methacrylate-Aluminio/Metacrilato
Textured white-Blanco texturado

3288/12 **LED 7+3W 856lm CRI>80** PCB +

3200K P328810BCD

4200K P32881BCD



Cutting hole
Agujero corte Ø 105 mm.



Aluminium/Methacrylate-Aluminio/Metacrilato
Textured white-Blanco texturado

3288/18 **LED 15+7W 1693lm CRI>80** PCB +

3200K P328820BCD

4200K P32882BCD



Cutting hole
Agujero corte Ø 160 mm.






It does not need specific installation.

It works with normal switch

No necesita instalación específica.

Funciona con interruptor normal

REXA Recessed



Aluminium/Methacrylate-Aluminio/Metacrilato
Textured white-Blanco texturado



3289/12 **LED 7+3W 856lm CRI>80** PCB +

3200K P328910BCD

4200K P32891BCD



Cutting hole
Agujero corte 107 mm.



Aluminium/Methacrylate-Aluminio/Metacrilato
Textured white-Blanco texturado



3289/18 **LED 15+7W 1693lm CRI>80** PCB +

3200K P328920BCD

4200K P32892BCD



Cutting hole
Agujero corte 160 mm.



It does not need specific installation.


It works with normal switch

No necesita instalación específica.

Funciona con interruptor normal

KORE Surface

EXTRA FLAT EXTRA PLANO


NEW
SIZEAluminium/Acrylic-Aluminio/Acrílico
White-Blanco

EPISTAR

3435/9  LED 6W 420lm CRI>80 PCB 

3000K P343510B

4000K P343511B


 Surface
SuperficieAluminium/Acrylic-Aluminio/Acrílico
White-Blanco

EPISTAR

3435/19  LED 18W 1450lm CRI>80 PCB 

3000K P343530B

4000K P343531B


 Surface
SuperficieAluminium/Acrylic-Aluminio/Acrílico
White-Blanco

EPISTAR

3435/14  LED 12W 950lm CRI>80 PCB 

3000K P343520B

4000K P343521B

 Surface
SuperficieAluminium/Acrylic-Aluminio/Acrílico
White-Blanco

EPISTAR

3435/28  LED 24W 1930lm CRI>80 PCB 

3000K P343540B



4000K P343541B

 Surface
Superficie

NEW SIZE

EXTRA FLAT EXTRA PLANO

ROKU Surface



Aluminium/Acrylic-Aluminio/Acrílico
White-Blanco

EPISTAR

3436/9  **LED 6W 420lm CRI>80** PCB 

3000K P343610B

4000K P343611B



 Surface
SuperficieAluminium/Acrylic-Aluminio/Acrílico
White-Blanco

EPISTAR

3436/14  **LED 12W 950lm CRI>80** PCB 

3000K P343620B

4000K P343621B



 Surface
SuperficieAluminium/Acrylic-Aluminio/Acrílico
White-Blanco

EPISTAR

3436/19  **LED 18W 1450lm CRI>80** PCB 

3000K P343630B

4000K P343631B

 Surface
SuperficieAluminium/Acrylic-Aluminio/Acrílico
White-Blanco

EPISTAR


3436/28  **LED 24W 1930lm CRI>80** PCB 

3000K P343640B

4000K P343641B

 Surface
Superficie**NEW SIZE****NEW
SIZE**

SKY SPOT Surface




Aluminium/Acrylic-Aluminio/Acrílico
White-Blanco



3233/12 LED 8W 400lm CRI>80 4200K PCB []

P32330B



Aluminium/Acrylic-Aluminio/Acrílico
White-Blanco




3233/18 LED 15W 1050lm CRI>80 PCB []

3200K

P323310B

4200K

P32331B



Aluminium/Acrylic-Aluminio/Acrílico
White-Blanco




3233/22 LED 22W 1560lm CRI>80 PCB []

3200K

P323320B

4200K

P32332B



Aluminium/Acrylic-Aluminio/Acrílico
White-Blanco



3233/30 LED 30W 2400lm CRI>80 PCB []

3200K

P32334B

4200K

P323341B




SKY BOX Surface






Aluminium/Acrylic-Aluminio/Acrílico
White-Blanco
3234/12  **LED 8W 400lm CRI>80** PCB 
 4200K P32340B
 Surface
 Superficie



Aluminium/Acrylic-Aluminio/Acrílico
White-Blanco
3234/40  **LED 36W 2900lm CRI>80** PCB 
 3200K P323450B
 4200K P323451B
 Surface
 Superficie


Aluminium/Acrylic-Aluminio/Acrílico
White-Blanco
3234/18  **LED 15W 1050lm CRI>80** PCB 
 3200K P323410B
 4200K P32341B
 Surface
 Superficie



Aluminium/Acrylic-Aluminio/Acrílico
White-Blanco
3234/50  **LED 36W 3123lm CRI>80** PCB 
 3200K P323460B
 4200K P323461B
 Surface
 Superficie


Aluminium/Acrylic-Aluminio/Acrílico
White-Blanco
3234/22  **LED 22W 1560lm CRI>80** PCB 
 3200K P323420B
 4200K P32342B
 Surface
 Superficie


Aluminium/Acrylic-Aluminio/Acrílico
White-Blanco
3234/30  **LED 30W 2400lm CRI>80** PCB 
 3200K P32344B
 4200K P323441B
 Surface
 Superficie


Aluminium/Acrylic-Aluminio/Acrílico
White-Blanco
3234/60  **LED 48W 4272lm CRI>80** PCB 
 3200K P323470B
 4200K P323471B
 Surface
 Superficie


DONO Surface



Aluminium/Acrylic-Aluminio/Acrílico

3420/90 LED 39.6W 3360lm 4200K CRI>80 PCB []

	ON-OFF	DALI/PUSH
Textured White-Blanco Texturado	P342011B	P342011BDP
Textured Silver-Plata Texturado	P342011PL	P342011PLDP

 Surface
Superficie




Aluminium/Acrylic-Aluminio/Acrílico

3420/120 LED 52.8W 4480lm 4200K CRI>80 PCB []

	ON-OFF	DALI/PUSH
Textured White-Blanco Texturado	P342021B	P342021BDP
Textured Silver-Plata Texturado	P342021PL	P342021PLDP

 Surface
Superficie



MARCO Recessed

Aluminium/Acrylic-Aluminio/Acrílico
Textured White-Blanco Texturado**3585/60** LED 42W 3200lm 4500K CRI>80 PCB []

P35851B

 Recessed
Encastrable


YON Recessed



Aluminium/Methacrylate-Aluminio/Metacrilato
White-Blanco



3291/18 **LED 18W 1260lm CRI>80** PCB


3000K P329110B

4000K P32911B



Recessed
Empotrable


Cutting hole
Agujero corte



IP20

IP23

YON Recessed



Aluminium/Methacrylate-Aluminio/Metacrilato
White-Blanco



3291/22 **LED 22W 1560lm CRI>80** PCB


3000K P329120B

4000K P32912B



Recessed
Empotrable


Cutting hole
Agujero corte



IP20

IP23

NIGA Recessed



Aluminium/Methacrylate-Aluminio/Metacrilato
White-Blanco



3292/18 **LED 18W 1260lm CRI>80** PCB

3000K P329210B

4000K P32921B



Recessed
Empotrable


Cutting hole
Agujero corte



IP20

IP23

NIGA Recessed



Aluminium/Methacrylate-Aluminio/Metacrilato
White-Blanco



3292/22 **LED 22W 1560lm CRI>80** PCB


3000K P329220B

4000K P32922B



Recessed
Empotrable


Cutting hole
Agujero corte



IP20

IP23

CLAUDIA



Recessed & Surface

For different cutting holes
Para diferentes agujeros de corte


Arylic-Acrylic
White-Blanco



3743/22 LED 18W 1500lm 3000K CRI>80 PCB

P374320B

Cutting hole Ø Max.165 mm. Min. 55 mm.
Agujero corte




Arylic-Acrylic
White-Blanco





3743/29 LED 24W 2000lm 3000K CRI>80 PCB

P374330B

Cutting hole Ø Max.240 mm. Min. 55 mm.
Agujero corte



CELIA



Recessed & Surface

For different cutting holes
Para diferentes agujeros de corte



Arylic-Acrylic
White-Blanco



3744/22 LED 18W 1500lm 3000K CRI>80 PCB

P374420B

Cutting hole Max.165 mm. Min. 55mm.
Agujero corte





Arylic-Acrylic
White-Blanco



3744/29 LED 24W 2000lm 3000K CRI>80 PCB

P374430B

Cutting hole Max.240 mm. Min. 55 mm.
Agujero corte



ACB

**ILUMINACIÓN
BAÑO**

BATH LIGHTING

TEMPO

By Nacho Timón




Tempo IP44

Metal-Metal
Chrome-Cromo


16/3776  LED 12W 1140lm 3000K CRI>80 PCB 

A377610C

 Battery AA included
Pila AA incluida



LOIRA


**Loira IP44**

Aluminium/Acrylic-Aluminio/Acrílico
Opal/Chrome-Opal/Cromo

16/3592  **LED 20W 1800lm 4000K CRI>80** PCB 

A359211C

GARONA


**Garona IP44**

Aluminium/Acrylic-Aluminio/Acrílico
Opal/Blanco-Opal/Blanco

16/3593  **LED 20W 1800lm 4000K CRI>80** PCB 

A359311B

NELLY

**Nelly IP44**

Aluminium/Acrylic-Aluminio/Acrílico
Chrome-Cromo

16/3175-60  **T5-1x24W** 

A31751PL

16/3175-90  **T5-1x39W** 

A31753PL

Tube included-Tubo incluido

URA



Ura IP44


Metal/Methacrylate-Metal/Metacrilato
Opal/Chrome-Opal/Cromo

16/3298-60 ☐ LED 19W 1940lm 4000K CRI>80 PCB ☐

A329821C

16/3298-90 ☐ LED 25W 2553lm 4000K CRI>80 PCB ☐

A329831C



BOX

**Box IP44**

Aluminium/Methacrylate-Aluminio/Metacrilato



Silver-Plata

16/3200-60  **LED 9W 685lm 4000K CRI>80** PCB 

A32001C

16/3200-90  **LED 15W 1100lm 4000K CRI>80** PCB 

A320031C



SAMBA

**Samba IP44**Metal/Methacrylate-Metal/Metacrilato
Chrome-Cromo**4110/B1**  **LED 5W 525lm CRI>80** 

3200K R4110B10C

4200K R4110B11C

4110/R3  **LED 15W 1575lm CRI>80** 




3200K R4110R30C

4200K R4110R31C


4110/R4  **LED 20W 2100lm CRI>80** 

3200K R4110R40C

4200K R4110R41C



SARA

**Sara IP44**Metal/Methacrylate-Metal/Metacrilato
Chrome-Cromo

4087/B1		LED 3W 330lm CRI>80	PCB
3200K	R487B1C		
4200K	R487B11C		
4087/R2		LED 6W 660lm CRI>80	PCB
3200K	R487R2C		
4200K	R487R21C		
4087/R3		LED 9W 990lm CRI>80	PCB
3200K	R487R3C		
4200K	R487R31C		

 Tilting & rotating
Basculante y rotatorio

COPE

**Cope IP44**

Metal/Methacrylate-Metal/Metacrilato

Chrome-Cromo

4034/B1  **LED 3W 450lm CRI>80** PCB 

3200K R434B12C

4200K R434B11C

4034/R3  **LED 9W 1350lm CRI>80** PCB 

3200K R434R32C

4200K R434R31C


4034/R4  **LED 12W 1800lm CRI>80** PCB 

3200K R434R42C

4200K R434R41C



LUX

**Lux IP44**

Metal/Methacrylate-Metal/Metacrilato

Chrome-Cromo

4089/B1  **LED 3W 330lm 4200K CRI>80** PCB 




R489B1C

4089/R3  **LED 9W 990lm 4200K CRI>80** PCB 


R489R3C

4089/R4  **LED 12W 1320lm 4200K CRI>80** PCB 

R489R4C



SILVIA

**Silvia IP44**Metal/Methacrylate-Metal/Metacrilato
Chrome-Cromo**16/3616**  **LED 12W 1000lm 4200K CRI>80** PCB 

A36161C

DUSTIN



Installation Kit includes: wood-furniture & mirror clip fitting

El kit de instalación incluye: herraje para marco o mueble y pinza para espejo

**Dustin IP44**

Metal/Methacrylate-Metal/Metacrilato
Chrome-Cromo

BUILT IN DRIVER
DRIVER INTEGRADO

16/3561-30 LED 6W 500lm 4200K CRI>80 PCB

A356101C

16/3561-50 LED 10W 840lm 4200K CRI>80 PCB

A356111C

16/3561-80 LED 15W 1300lm 4200K CRI>80 PCB

A356121C



ARES



Installation Kit includes: wood-furniture & mirror clip fitting

El kit de instalación incluye: herraje para marco o mueble y pinza para espejo

**Ares IP44**

Aluminium/Methacrylate-Aluminio/Metacrilato
Chrome-Cromo



BUILT IN DRIVER
DRIVER INTEGRADO

16/3559-31 LED 6W 500lm 4000K CRI>80 PCB

A355911CTP

16/3559-53 LED 10W 840lm 4000K CRI>80 PCB



A355931CTP



ALIENA



Installation Kit includes: wood-furniture & mirror clip fitting
El kit de instalación incluye: herraje para marco o mueble y pinza para espejo

**Aliena IP44**

Aluminium/Acrylic-Aluminio/Acrílico

Chrome-Cromo

16/3527-30  LED 5W 450lm 4000K CRI>80 PCB 

A352711C

16/3527-50  LED 8W 600lm 4000K CRI>80 PCB 

A352721C



CASIO

Chrome
CromoSatin nickel
Níquel satinadoWhite
Blanco**Casio IP44**

Metal/Glass-Metal/Cristal

16/13  2xE27

Chrome/Opal -Cromo/Opal A16130CR

Satin nickel/Opal-Níquel sat./Opal A16130NM

White/Opal-Blanco/Opal A16130B

16/13  T5 1x24W

Chrome/Opal -Cromo/Opal A16132CR

Satin nickel/Opal-Níquel sat./Opal A16132NM

White/Opal-Blanco/Opal A16132B

**Casio IP44**

Metal/Glass-Metal/Cristal

16/10  2xE27

Chrome/Opal -Cromo/Opal A16100C

Satin nickel/Opal-Níquel sat./Opal A16100NM

White/Opal-Blanco/Opal A16100B

**Casio**

Metal/Glass-Metal/Cristal

16/50  1xE27

Chrome/Opal -Cromo/Opal A16501C

Satin nickel/Opal-Níquel sat./Opal A16501NM

White/Opal-Blanco/Opal A16501B

16/50 IP44  1xE27

Chrome/Opal -Cromo/Opal A16501CIP


Satin nickel/Opal-Níquel sat./Opal A16501NMIP

White/Opal-Blanco/Opal A16501BIP

FLOW



FLOW

**Flow IP44**

Metal/Methacrylate-Metal/Metacrilato

Chrome-Cromo


16/3672-45  LED 10W 800lm 4000K CRI>80 PCB 

A367211C

16/3672-66  LED 15W 1200lm 4000K CRI>80 PCB 

A367221C

NERO



Nero IP44

Metal/Methacrylate-Metal/Metacrilato


Chrome-Cromo

16/3311  LED 4W 205lm 3200K CRI>80 PCB 


A33110C

Kit installation included: wood fitting-furniture & mirror clip

El kit de instalación incluye: herraje para marco o mueble y pinza para espejo



YAKU



Yaku IP44

Metal/Methacrylate-Metal/Metacrilato


Chrome-Cromo

16/3310  LED 5W 190lm 4200K CRI>80 PCB 

A33101C



BIMBA



Bimba IP44

Metal/Methacrylate-Metal/Metacrilato

Chrome-Cromo



16/3309  LED 3W 250lm 4200K CRI>80 PCB 

A33091C



TUBUS

By Nacho Timón



Tubus IP44

Metal-Metal
Chrome-Cromo

16/3801  LED 6W 600lm 3000K CRI>80 PCB 

A380110CDER

A380110CIZQ

ADELA



Adela IP44



Acrylic/Metal-Acrílico/Metal
Chrome/Arenado-Cromo/Sanded

16/3794-37  LED 10W 800lm 3000K CRI>80 PCB 


A379400C

16/3794-67  LED 19W 1605lm 3000K CRI>80 PCB 

A379410C



ILMA

**Ilma IP44**

Metal-Metal

Chrome-Cromo


16/3184-38  **LED 12W 1320lm 3200K CRI>80** PCB 

A31841C

16/3184-74  **LED 24W 2640lm 3200K CRI>80** PCB 

A31842C

BORA

**Bora IP44**

Metal/Methacrylate-Metal/Metacrilato

Chrome-Cromo





16/3269-22  **LED 5.5W 475lm 4200K CRI>80** PCB 

A32691C

16/3269-40  **LED 11.5W 1020lm 4200K CRI>80** PCB 

A32692C

AQUA

**Aqua IP44**Metal-Metal
Chrome-Croma**16/3183-30** **LED 11W 1210lm CRI>80** PCB

3200K A318310C

4500K A318311C

16/3183-42 **LED 19W 1820lm CRI>80** PCB



3200K A318320C

4500K A318321C

16/3183-53 **LED 25W 2415lm CRI>80** PCB

3200K A318330C

4500K A318331C

**Aqua IP44**Metal-Metal
Antique Brass-Cuero**16/3183-30** **LED 8W 848lm 3200K CRI>80** PCB

A31831U




16/3183-53 **LED 16W 1636lm 3200K CRI>80** PCB

A31833U

AQUA



YEI

**Yei IP44**Metal-Metal
Chrome-Croma16/3391-35  LED 8W 760lm 3200K CRI>80 PCB 

A33911C


16/3391-50  LED 12W 1140lm 3200K CRI>80 PCB 

A33912C

16/3391-65  LED 16W 1520lm 3200K CRI>80 PCB 

A33913C

FRANK


**Frank IP44**Metal-Metal
Chrome-Croma16/3572-51  LED 8W 750lm 3200K CRI>80 PCB 

A357220C

16/3572-69  LED 12W 1120lm 3200K CRI>80 PCB 

A357230C

ABBI
By Nacho Timón




Abbi IP44

Metal/Acrylic-Metal/Acrílico
Chrome/Opal-Cromo/Opal

16/3800  LED 20W 1600lm 3000K CRI>80 PCB 

A380010C

WAVE



Wave IP44

Metal/Methacrylate-Metal/Metacrilato

Chrome-Croma


16/3621-54  LED 16W 1120lm 4000K CRI>80 PCB 

A362111C





GEAL

**Geal IP44**Metal/Double layer glass-Metal/Cristal doble capa
Opal-Opal16/627  1xG9


A166271OP

16/627  LED 3W 190lm 4200K CRI>80 PCB 

A166271OPL




BILL

**Bill IP44**Metal/Double layer glass-Metal/Cristal doble capa
Chrome/Opal-Cromo/Opal4092/B1  1xG9

R492B1C




JAL

**Jal IP44**Metal/Methacrylate-Metal/Metacrilato
Chrome-Cromo16/3296  LED 3.3W 315lm 4200K CRI>80 PCB 

A32961C

CINQUENTAS

By Nacho Timón




Cinquentas IP44

Acrylic/Metal-Acrílico/Metal
Chrome-Cromo

16/3798-56  LED 12W 1200lm 3000K CRI>80 PCB 

A379810C

MENORCA

**Menorca IP44**

Metal-Metal

16/3730-45  **LED 12W 1480lm 4000K CRI>80** PCB 


Textured White-Blanco Texturado A373021B

Textured Black-Negro Texturado A373021N

Copper-Cobre A373021CU

Antique Brass-Cuero A373021U

ALDO

**Aldo IP44**

Metal/Acrylic-Metal/Acrílico
Chrome-Cromo

16/3432-32  **LED 12W 775lm CRI>80** PCB 

3200K A343210C

4200K A343211C

16/3432-52  **LED 20W 1270lm CRI>80** PCB 

3200K A343220C

4200K A343221C


16/3432-82  **LED 30W 2100lm CRI>80** PCB 

3200K A343230C

4200K A343231C



NEUS

**Neus**

Metal/Methacrylate-Metal/Metacrilato
Textured white-Blanco texturado



16/3017-20  **LED 10.5W 1100lm 3200K CRI>80** PCB 

A301710B

16/3017-36  **LED 21W 2200lm 3200K CRI>80** PCB 

A301730B

FANNY


**Fanny IP44**

Metal-Metal
Textured white-Blanco texturado

4101/R4  **LED 12W 1320lm CRI>80 4200K** PCB 

R4101R4B

IZTAC



Iztac IP44

Metal/Methacrylate-Metal/Metacrilato

Chrome-Cromo


16/766  T5-1x24W 

A167661C

Tube included-Tubo incluido



ORDES




Ordes IP44

Metal/Methacrylate-Metal/Metacrilato


Chrome-Cromo

16/734  LED 6W 900lm 4200K CRI>80 PCB 

A1673422C



MARA



Mara IP44

Metal/Methacrylate-Metal/Metacrilato

Chrome-Cromo



16/764  LED 6W 660lm 4200K CRI>80 PCB 

A167641C



VANILA

By Nacho Timón



Vanila IP44

Metal-Metal
Chrome-Cromo

16/3778 ☐ LED 12W 1140lm 3000K CRI>80 PCB ☐

A377810C

SOFÍA




Sofía IP44



Metal/Methacrylate-Metal/Metacrilato
Chrome-Cromo

16/3663-48  LED 8W 750lm 4200K CRI>80 PCB 
A366311C

16/3663-68  LED 11W 1030lm 4200K CRI>80 PCB 
A366321C



DOS
By Nacho Timón



Dos IP44

Metal-Metal
Chrome-Cromo

16/3777  LED 12W+8W 1140lm+760lm 3000K CRI>80 PCB 

A377710C


SQUARE





MADISON

AVAILABLE IN 3 VERSIONS: ON-OFF, SENSOR AND EMERGENCY
DISPONIBLE EN 3 VERSIONES: ON-OFF, SENSOR Y EMERGENCIA

**Madison IP54**

Acrylic-Acrílico

White-Blanco


3497/28  **LED 24W 1700lm CRI>80** PCB **ON-OFF** P349713B **3000K 4000K 6500K** **SENSOR** P349713BMS **3000K 4000K 6500K** **EMERGENCY** P349711BEM **4000K**

* 3 in 1: Set the colour temperature before installing

* 3 en 1: Configura la temperatura de color antes de la instalación

SENSORMotion sensor
Sensor de movimiento5s-30 min.
Hold time
Tiempo de espera6 m. max.
Mounting height
Altura de montajeAutomatic On/Off
Encendido automático6 m.
Detection zone
Zona de detección10 - 2000 lux
Light sensor
Sensor de luminosidad**EMERGENCY**3h.
Time
Tiempo**EMERGENCY**

SQUARE

**Square IP54**

Acrylic-Acrílico

White-Blanco

3512/28  **LED 24W 1700lm CRI>80** PCB **ON-OFF** P351213B **3000K 4000K 6500K**

* 3 in 1: Set the colour temperature before installing


* 3 en 1: Configura la temperatura de color antes de la instalación

LINA

**Lina IP44**

Metal/Double layer glass-Metal/Cristal doble capa
Opal/Satin Nickel-Opal/Níquel Satinado

3472/25		2xE27
P34722NS		
3472/25		LED 18W 1890lm CRI>80 PCB
2700K	P347229NSL	
3200K	P347220NSL	
4200K	P347221NSL	
3472/30		2xE27
P34723NS		
3472/30		LED 24W 2520lm CRI>80 PCB
2700K	P347239NSL	
3200K	P347230NSL	
4200K	P347231NSL	




ESUS

**Esus IP44**

Metal/Double layer glass-Metal/Cristal doble capa
Opal/Chrome-Opal/Cromo

490/24		2xE27
P04903OP		
490/24		LED 12W 1100lm CRI>80 PCB
3200K	P049030OPL	
4200K	P049031OPL	
490/31		2xE27
P04904OP		
490/31		LED 18W 1890lm CRI>80 PCB
2700K	P049049OPL	
3200K	P049040OPL	
4200K	P049041OPL	




MOON


**Moon IP44**

Metal/Double layer glass
Metal/Cristal doble capa

969/19		1xG9
P09691OP		
969/19		LED 12W 1100lm CRI>80 PCB
3200K	P096910OP	
4200K	P096911OP	
969/28		2xE27
P09692OP		
969/28		LED 18W 1890lm CRI>80 PCB
2700K	P096929OPL	
3200K	P096920OPL	
4200K	P096921OPL	
969/35		2xE27
P09693OP		
969/35		LED 24W 2520lm CRI>80 PCB
2700K	P096939OPL	
3200K	P096930OPL	
4200K	P096931OPL	
969/50		3xE27
P09697OP		
969/50		LED 36W 4000lm CRI>80 PCB
2700K	P096979OPL	
3200K	P096970OPL	
4200K	P096971OPL	




ALB

**Alb IP44**

Metal/Double layer glass-Metal/Cristal doble capa

Opal/Chrome-Opal/Cromo

**3236/28**  **2xE27**

P32362C

3236/28  **LED 18W 1890lm CRI>80** 

2700K P323629CL

3200K P323620CL


4200K P32362CL

DINS

**Dins IP44**

Metal/Double layer glass

Metal/Cristal doble capa


**395/26**  **2xE27**

White-Opal P03952B

Blanco-Opal P03952B

Satin nickel-Opal P03952NMS

Níquel satinado-Opal P03952NMS

**395/26**  **LED 18W 1890lm CRI>80** 

White-Opal 2700K P039529BCL

Blanco-Opal 3200K P039520BCL

4200K P03952BCL

Satin nickel-Opal 2700K P039529NSL

Níquel satinado-Opal 3200K P039520NSL

4200K P03952NSL

395/32  **2xE27**

White-Opal P03953B

Blanco-Opal P03953B

Satin nickel-Opal P03953NMS

Níquel satinado-Opal P03953NMS

395/32  **LED 24W 2520lm CRI>80** 

White 2700K P039539BL

Blanco 3200K P03953BSL

4200K P03953BL

Satin nickel-Opal 2700K P039539NSL

Níquel satinado-Opal 3200K P03953NSL

4200K P03953NSL



VANDUO

Vanduo IP54

Metal/Glass-Metal/Cristal

3467  **1xGU10 LED**

White-Blanco P34671B
 Chrome-Cromo P34671C
 Satin Nickel-Níquel Satinado P34671NS

 Surface
Superficie Max. 55,8 mmBulb not included
Bombilla no incluida



BRANCO

Branco IP54

Metal/Glass-Metal/Cristal

3468  **1xGU10 LED**

White-Blanco P34681B
 Chrome-Cromo P34681C
 Satin Nickel-Níquel Satinado P34681NS

 Surface
Superficie Max. 55,8 mmBulb not included
Bombilla no incluida


HERA

Hera IP54

Metal/Glass-Metal/Cristal

3554  **1xGU10 LED**

White-Blanco P35541B
 Chrome-Cromo P35541C
 Satin Nickel-Níquel Satinado P35541NS

 Recessed
EmpotrableCutting hole  Ø70 mm.
Agujero corteBulb not included
Bombilla no incluida


FOTSY


Fotsy IP54

Metal/Glass-Metal/Cristal

3555  **1xGU10 LED**

Chrome-Cromo P35551C
 Satin Nickel-Níquel Satinado P35551NS



 Recessed
EmpotrableCutting hole  Ø70 mm.
Agujero corteBulb not included
Bombilla no incluida



BIP

ANTI-GLARE
ANTI REFLEJOS

IP 64

Water
resistance**Bip IP64**

Metal/Glass-Metal/Cristal

3680  **LED 10W 750lm 3000K CRI>80 COB** 

White-Blanco

P36800B

Chrome-Cromo

P36800C

Satin Nickel-Níquel Satinado

P36800NS


Recessed
Empotrable

40°

Cutting hole  Ø 68 mm.
Agujero corte


MIRRORS WITH DIRECT AND INDIRECT LIGHT

ESPEJOS CON LUZ
DIRECTA E INDIRECTA



**CUSTOMISE YOUR MIRROR
ACCORDING TO YOUR NEEDS**
DISEÑA TU ESPEJO SEGÚN
TUS NECESIDADES





Jour IP44 
Metal/Glass-Metal/Cristal
White/Mirror-Blanco/Espejo

Ref.	Measures/Medidas	W	Lum	° Kelvin	COD.	CRI	Fixing/Fijaciones
16/429-52 	H720x520x44	⊕ 2xT5 24W	/	/	A1642902PL	80	
	H720x520x30	21W	1809	3000	A1642900LB		
				4000	A1642901LB		
16/429-80 	H700x800x30	21W	1809	3000	A1642910LB		
				4000	A1642911LB		
16/429-110 	H700x1100x30	21W	1809	3000	A1642920LB		
				4000	A1642921LB		

Customise it
Personalízalo
[see pag. 200]



ESTELA



Estela IP44 
 Metal/Glass-Metal/Cristal
 White/Mirror-Blanco/Espejo

Ref.	Measures/Medidas	W	Lum	° Kelvin	COD.	CRI	Fixing/Fijaciones
16/9439-80 	H700x800x30	48W	4129	3000	A943910LB	80	
				4000	A943911LB		
16/9439-110 	H700x1100x30	58W	4994	3000	A943920LB		
				4000	A943921LB		

Customise it
 Personalízalo
 [see pag. 200]



MUL




Mul IP44 
 Metal/Glass-Metal/Cristal
 White/Mirror-Blanco/Espejo

Ref.	Measures/Medidas	W	Lum	° Kelvin	COD.	CRI	Fixing/Fijaciones
16/300-80 	H770x770x44	⊕ 4xT8 18W	/	/	A163000ES	80	
	H700x800x30	41W	3539	3000	A163000LB		
				4000	A163001LB		
16/300-110 	H700x1100x30	51W	4443	3000	A1630020LB	80	
				4000	A1630021LB		

Customise it
 Personalízalo
 [see pag. 200]



OLIVIA





Olivia IP44 
Metal/Glass-Metal/Cristal
White/Mirror-Blanco/Espejo

Ref.	Measures/Medidas	W	Lum	° Kelvin	COD.	CRI	Fixing/Fijaciones
16/9437-80 	H700x800x30	48W	4129	3000	A943710LB	80	
				4000	A943711LB		
16/9437-110 	H700x1100x30	58W	4994	3000	A943720LB		
				4000	A943721LB		

Customise it
Personalízalo
(see pag. 200)



OLTER






Olter IP44 
 Metal/Glass-Metal/Cristal
 White/Mirror-Blanco/Espejo

Ref.	Measures/Medidas	W	Lum	° Kelvin	COD.	CRI	Fixing/Fijaciones
16/9438-80 	H700x800x30	48W+14W	4129+1100	3000	A943810LB	80	
				4000	A943811LB		
16/9438-110 	H700x1100x30	58W+14W	4994+1100	3000	A943820LB		
				4000	A943821LB		

Customise it
 Personalízalo
 [see pag. 200]





Amanzi IP44 
Metal/Glass-Metal/Cristal
White/Mirror-Blanco/Espejo

Ref.	Measures/Medidas	W	Lum	° Kelvin	COD.	CRI	Fixing/Fijaciones
16/3596-65 	H730x650x30	41W	3539	3000	A359600LP	80	
				4000	A359601LP		
16/3596-83 	H730x830x30	48W	4129	3000	A359610LP		
				4000	A359611LP		
16/3596-113 	H730x1130x30	58W	4994	3000	A359620LP		
				4000	A359621LP		

Customise it
Personalízalo
(see pag. 200)



WEEK



Weex IP44 
 Metal/Glass/Acrylic-Metal/Cristal/Acrílico
 White/Mirror-Blanco/Espejo

Ref.	Measures/Medidas	W	Lum	° Kelvin	COD.	CRI	Fixing/Fijaciones
16/9040-62 	H720x620x44	23W	2005	3000	A90400LZ	80	
				4000	A90401LZ		
16/9040-110 	H720x1100x44	23W	2005	3000	A904020LZ		
				4000	A904021LZ		

Customise it
 Personalízalo
 [see pag. 200]



ELMA

Elma IP44

Metal/Glass-Metal/Cristal

White/Mirror-Blanco/Espejo

TOUCH
TÁCTIL

Ref.	Measures/Medidas	W	Lum	° Kelvin	COD.	CRI	Fixing/Fijaciones
16/9405 	H1140x710x44	45W	3932	3000	A940501LP	80	
				4000	A940511LP		



VESI

Vesi IP44

Metal/Glass-Metal/Cristal

White/Mirror-Blanco/Espejo

TOUCH
TÁCTIL

Ref.	Measures/Medidas	W	Lum	° Kelvin	COD.	CRI	Fixing/Fijaciones
16/9304 	H1100x670x44	45W	3932	3000	A930411LP	80	
				4000	A930401LP		



ADRIANA

Adriana IP44

Metal/Glass-Metal/Cristal

White/Mirror-Blanco/Espejo

TOUCH
TÁCTIL

Ref.	Measures/Medidas	W	Lum	° Kelvin	COD.	CRI	Fixing/Fijaciones
16/9406 	H1100x670x44	45W	3932	3000	A940601LP	80	
				4000	A940611LP		



Customise it
Personalízalo
(see pag. 200)





PETRA



Petra IP44

Metal/Glass-Metal/Cristal
White/Mirror-Blanco/Espejo

Ref.	Measures/Medidas	W	Lum	° Kelvin	COD.	CRI	Fixing/Fijaciones
16/3804-64	Ø 640x44	29W	2517	3000	A380410LB	80	
				4000	A380411LB		



MAURO



Mauro IP44

Metal/Glass-Metal/Cristal
White/Mirror-Blanco/Espejo

Ref.	Measures/Medidas	W	Lum	° Kelvin	COD.	CRI	Fixing/Fijaciones
16/3797-60	Ø 600x44	29W	2517	3000	A379710LB	80	
				4000	A379711LB		



BARI



Bari IP44

Metal/Glass-Metal/Cristal
White/Mirror-Blanco/Espejo

Ref.	Measures/Medidas	W	Lum	° Kelvin	COD.	CRI	Fixing/Fijaciones
16/3799-60	Ø 600x44	29W	2517	3000	A379910LB	80	
				4000	A379911LB		

Customise it
Personalizalo
(see pag. 200)




HOLLYWOOD



Hollywood IP44 
 Metal/Glass/Acrylic-Metal/Cristal/Acrílico
 White/Mirror-Blanco/Espejo


Ref.	Measures/Medidas	W	Lum	° Kelvin	COD.	CRI	Fixing/Fijaciones
16/3805-80 	H700x800x30	21W	1809	3000	A380510LB	80	
				4000	A380511LB		
16/3805-110 	H700x1100x30	21W	1809	3000	A380520LB		
				4000	A380521LB		




Customise it
 Personalízalo
 [see pag. 200]



BOAN




CUSTOMISE YOUR MIRROR ACCORDING TO YOUR NEEDS CONFIGURA TU ESPEJO SEGÚN TUS NECESIDADES

ANTI-MIST
ANTI VAHOANTI-MIST
ANTI VAHOCUSTOM MADE
MEDIDAS PERSONALIZABLESTOUCH CONTROL
CONTROL TÁCTILAMBIENT LIGHT
LUZ PERIMETRALINTEGRATED MAGNIFYING MIRROR
(WITHOUT LIGHTING)
ESPEJO DE AUMENTO INTEGRADO
(SIN LUZ INTEGRADA)INTEGRATED MAGNIFYING MIRROR
WITH LIGHTING AND TOUCH SWITCH
ESPEJO DE AUMENTO INTEGRADO
CON ILUMINACIÓN Y ENCENDIO TÁCTIL

CUSTOM LIGHTING WINDOWS

VENTANAS ILUMINADAS PERSONALIZABLES

MIRROR FIXATION
FIJACIÓN DEL ESPEJO


INFRARED SENSOR ON/OFF (IR)

Move your hand near the detector and the lamp will turn on, move your hand near the detector the second time and the lamp will turn off. The sensor works at 5cm distance minimum.

SENSOR INFRARROJO ON/OFF (IR)

Para encender, mueva la mano cerca del detector, y para apagar mueva la mano otra vez cerca del detector. El sensor funciona a una distancia máxima de 5cm.

MULTIFUNCTION SCREEN PANTALLA MULTIFUNCIÓN



BASIC OPTION OPCIÓN BÁSICA

- TIME / HORA
- TEMP. °C
- DATE / FECHA




AUDIO OPTION OPCIÓN AUDIO


- RADIO
- TEMP. °C
- TIME / HORA
- BLUETOOTH
- INTEGRATED SPEAKERS ALTAVOCES INTEGRADOS

TOUCH CONTROL BUTTONS
BOTONES CONTROL TÁCTIL

DOWNLOAD THIS CHECKLIST TO CUSTOMISE YOUR MIRROR
DESCARGUE NUESTRA FICHA PARA PERSONALIZAR SU ESPEJO
www.acbiluminacion.com

The background of the entire page is a dark purple color with a repeating pattern of small, lighter purple circles. In the upper left, the letters 'ACB' are written in a large, white, sans-serif font. A thin, white, curved line starts near the top right and extends towards the middle of the page. In the center-left, there is a faint, semi-transparent image of a modern, dome-shaped pendant lamp hanging from a cord.

ACB

The background of the entire page is a dark purple color with a repeating pattern of small, lighter purple circles. In the upper left, the letters 'ACB' are written in a large, white, sans-serif font. A thin, white, curved line starts near the top right and extends towards the middle of the page. In the center-left, there is a faint, semi-transparent image of a modern, dome-shaped pendant lamp hanging from a cord.

FAMILIAS, COLGANTES, PIES Y SOBREMESAS

FAMILIES,
PENDANT LAMPS, TABLE LAMPS
& FLOOR LAMPS

ISIA Recessed





ISIA Pendant



RECESSED / EMPOTRABLE

Isia

Metal/Acrylic-Metal/Acrílico



3453/40 LED 40W 3660lm CRI>80 PCB [RECESSED]

ON/OFF-TRIAC DALI/PUSH

Textured White/Opal 3200K E345340BDT E345340BDP
 Blanco texturado/Opal 4200K E345341BDT E345341BDP

Textured Black/Opal 3200K E345340NDT E345340NDP
 Negro texturado/Opal 4200K E345341NDT E345341NDP

Technical Gold/Opal 3200K E345340OTDT E345340OTDP
 Oro técnico/Opal 4200K E345341OTDT E345341OTDP

Recessed Empotrable Cutting hole Agujero de corte Ø 400 mm.



Isia

Metal/Acrylic-Metal/Acrílico



3453/60 LED 55W 5250lm CRI>80 PCB [RECESSED]

ON/OFF-TRIAC DALI/PUSH

Textured White/Opal 3200K E345360BDT E345360BDP
 Blanco texturado/Opal 4200K E345361BDT E345361BDP

Textured Black/Opal 3200K E345360NDT E345360NDP
 Negro texturado/Opal 4200K E345361NDT E345361NDP

Technical Gold/Opal 3200K E345360OTDT E345360OTDP
 Oro técnico/Opal 4200K E345361OTDT E345361OTDP

Recessed Empotrable Cutting hole Agujero de corte Ø 600 mm.



SURFACE / SUPERFICIE

Isia

Metal/Acrylic-Metal/Acrílico

3453/40 LED 40W 3660lm CRI>80 PCB [RECESSED]

ON/OFF-TRIAC DALI/PUSH

Textured White/Opal 3200K P345340BDT P345340BDP
 Blanco texturado/Opal 4200K P345341BDT P345341BDP

Textured Black/Opal 3200K P345340NDT P345340NDP
 Negro texturado/Opal 4200K P345341NDT P345341NDP

Technical Gold/Opal 3200K P345340OTDT P345340OTDP
 Oro técnico/Opal 4200K P345341OTDT P345341OTDP



Isia

Metal/Acrylic-Metal/Acrílico

3453/80 LED 88W 8440lm CRI>80 PCB [RECESSED]

ON/OFF-TRIAC DALI/PUSH

Textured White/Opal 3200K P345380BDT P345380BDP
 Blanco texturado/Opal 4200K P345381BDT P345381BDP

Textured Black/Opal 3200K P345380NDT P345380NDP
 Negro texturado/Opal 4200K P345381NDT P345381NDP

Technical Gold/Opal 3200K P345380OTDT P345380OTDP
 Oro técnico/Opal 4200K P345381OTDT P345381OTDP



Isia

Metal/Acrylic-Metal/Acrílico

3453/60 LED 55W 5250lm CRI>80 PCB [RECESSED]

ON/OFF-TRIAC DALI/PUSH

Textured White/Opal 3200K P345360BDT P345360BDP
 Blanco texturado/Opal 4200K P345361BDT P345361BDP

Textured Black/Opal 3200K P345360NDT P345360NDP
 Negro texturado/Opal 4200K P345361NDT P345361NDP

Technical Gold/Opal 3200K P345360OTDT P345360OTDP
 Oro técnico/Opal 4200K P345361OTDT P345361OTDP



Isia

Metal/Acrylic-Metal/Acrílico

3453/100 LED 150W 12300lm CRI>80 PCB [RECESSED]

ON/OFF-TRIAC DALI/PUSH

Textured White/Opal 3200K P345390BDT P345390BDP
 Blanco texturado/Opal 4200K P345391BDT P345391BDP

Textured Black/Opal 3200K P345390NDT P345390NDP
 Negro texturado/Opal 4200K P345391NDT P345391NDP

Technical Gold/Opal 3200K P345390OTDT P345390OTDP
 Oro técnico/Opal 4200K P345391OTDT P345391OTDP



PENDANT LAMP / COLGANTE

Isia

Metal/Acrylic-Metal/Acrílico


3453/40 Col. LED 40W 3660lm CRI>80 PCB [RECESSED]

ON/OFF-TRIAC DALI/PUSH

Textured White/Opal 3200K C345340BDT C345340BDP
 Blanco texturado/Opal 4200K C345341BDT C345341BDP

Textured Black/Opal 3200K C345340NDT C345340NDP
 Negro texturado/Opal 4200K C345341NDT C345341NDP

Technical Gold/Opal 3200K C345340OTDT C345340OTDP
 Oro técnico/Opal 4200K C345341OTDT C345341OTDP



Isia

Metal/Acrylic-Metal/Acrílico

3453/80 Col. LED 88W 8440lm CRI>80 PCB [RECESSED]

ON/OFF-TRIAC DALI/PUSH

Textured White/Opal 3200K C345380BDT C345380BDP
 Blanco texturado/Opal 4200K C345381BDT C345381BDP

Textured Black/Opal 3200K C345380NDT C345380NDP
 Negro texturado/Opal 4200K C345381NDT C345381NDP

Technical Gold/Opal 3200K C345380OTDT C345380OTDP
 Oro técnico/Opal 4200K C345381OTDT C345381OTDP



Isia

Metal/Acrylic-Metal/Acrílico

3453/60 Col. LED 55W 5250lm CRI>80 PCB [RECESSED]

ON/OFF-TRIAC DALI/PUSH

Textured White/Opal 3200K C345360BDT C345360BDP
 Blanco texturado/Opal 4200K C345361BDT C345361BDP

Textured Black/Opal 3200K C345360NDT C345360NDP
 Negro texturado/Opal 4200K C345361NDT C345361NDP

Technical Gold/Opal 3200K C345360OTDT C345360OTDP
 Oro técnico/Opal 4200K C345361OTDT C345361OTDP



Isia

Metal/Acrylic-Metal/Acrílico

3453/100 Col. LED 150W 12300lm CRI>80 PCB [RECESSED]

ON/OFF-TRIAC DALI/PUSH

Textured White/Opal 3200K C345390BDT C345390BDP
 Blanco texturado/Opal 4200K C345391BDT C345391BDP

Textured Black/Opal 3200K C345390NDT C345390NDP
 Negro texturado/Opal 4200K C345391NDT C345391NDP

Technical Gold/Opal 3200K C345390OTDT C345390OTDP
 Oro técnico/Opal 4200K C345391OTDT C345391OTDP



REMOTE CONTROL AVAILABLE
 MANDO A DISTANCIA DISPONIBLE




CASAMBI PROTOCOL AVAILABLE
 PROTOCOLO CASAMBI DISPONIBLE



RAL COLOURS AVAILABLE
 COLORES RAL DISPONIBLES


DILGA

**Dilga**

Metal/Acrylic-Metal/Acrílico

3450/45 LED 27W 2100lm 3200K CRI>80 PCB [REDACTED]

	ON-OFF	TRIAC
Textured White/Opal <i>Blanco texturado/Opal</i>	P345010B	P345010BDT
Textured Black/Opal <i>Negro texturado/Opal</i>	P345010N	P345010NDT

**Dilga**


Metal/Acrylic-Metal/Acrílico

3450/60 LED 48W 3730lm 3200K CRI>80 PCB [REDACTED]

	ON-OFF	TRIAC
Textured White/Opal <i>Blanco texturado/Opal</i>	P345020B	P345020BDT
Textured Black/Opal <i>Negro texturado/Opal</i>	P345020N	P345020NDT




DILGA

**Dilga**

Metal/Acrylic-Metal/Acrílico

3450/45 Col. **LED 27W 2100lm 3200K CRI>80** PCB OPTIONAL
DIMMABLE


	ON-OFF	TRIAC
Textured White/Opal <i>Blanco texturado/Opal</i>	C345010B	C345010BDT
Textured Black/Opal <i>Negro texturado/Opal</i>	C345010N	C345010NDT

**Dilga**

Metal/Acrylic-Metal/Acrílico

3450/60 Col. **LED 48W 3730lm 3200K CRI>80** PCB OPTIONAL
DIMMABLE

	ON-OFF	TRIAC
Textured White/Opal <i>Blanco texturado/Opal</i>	C345020B	C345020BDT
Textured Black/Opal <i>Negro texturado/Opal</i>	C345020N	C345020NDT


**Dilga**

Metal/Acrylic-Metal/Acrílico

3450/90 Col. **LED 126W 9800lm 3200K CRI>80** PCB OPTIONAL
DIMMABLE

	ON-OFF	TRIAC
Textured White/Opal <i>Blanco texturado/Opal</i>	C345040B	C345040BDT
Textured Black/Opal <i>Negro texturado/Opal</i>	C345040N	C345040NDT

GOYA



Goya

Metal/Acrylic-Metal/Acrílico

5388/48 4xE27


White-Opal/Blanco-Opal

D53885B

5388/48 LED 36W 2480lm 3000K CRI>80 PCB

White-Opal/Blanco-Opal

D538850BL



Goya

Metal/Acrylic-Metal/Acrílico

388/48 4xE27

White-Opal/Blanco-Opal


P03885B

388/48 LED 36W 2480lm 3000K CRI>80 PCB

White-Opal/Blanco-Opal

P038850BL






Halo

Metal/Glass-Metal/Cristal



3724/52 Col. LED 36W 3064 lm CRI>80 PCB

Textured White/Sanded	2700K	C372479BL
Blanco Texturado/Arenado	3200K	C372470BL
Satin Nickel/Sanded	2700K	C372479NSL
Níquel Satinado/Arenado	3200K	C372470NSL



Halo

Metal/Glass-Metal/Cristal



3724/52 LED 36W 3064 lm CRI>80 PCB

Textured White/Sanded	2700K	P372479B
Blanco Texturado/Arenado	3200K	P372470B
Satin Nickel/Sanded	2700K	P372479NSL
Níquel Satinado/Arenado	3200K	P372470NSL

SHIITAKE




Shiitake

Metal-Metal
Black/Gold -Negro/Oro

PCB

3740/70 Col.  LED 50W 4150lm 3200K CRI>80

C3740190NO



Shiitake

Metal/Acrylic-Metal/Acrílico
Black/Gold -Negro/Oro




3740/55  LED 60W 4560lm 3200K CRI>80 PCB

P374060NO





KYOTO




Kyoto

Metal/Methacrylate-Metal//Metacrilato
Textured White-Blanco Texturado

3587/45  **LED 28W 2100lm 3200K CRI>80** PCB 

P358710B



Kyoto

Metal/Methacrylate-Metal//Metacrilato
Textured White-Blanco Texturado

3587/60Col.  **LED 36W 2700lm 3200K CRI>80** PCB 

ON-OFF **TRIAC**

C358720B

C358720BDT

ALISO




Aliso

Metal/Acrylic-Metal/Acrílico


Textured white/Opal-Blanco Texturado/Opal

3742/80 Col.  LED 75W 5800lm 3200K CRI>80 PCB 

C3742220B



ALISO


**Aliso**

Metal/Acrylic-Metal/Acrílico

Textured white/Opal-Blanco Texturado/Opal

3742/60 Pla.  LED 55W 4600lm 3200K CRI>80 PCB 

P374290B

**Aliso**

Metal/Acrylic-Metal/Acrílico

Textured white/Opal-Blanco Texturado/Opal


3742/60 Col.  LED 55W 4600lm 3200K CRI>80 PCB 

C374290B

UFO



UP & DOWN LIGHT



Ufo

Metal/Methacrylate-Metal/Metacrilato




3773/50 Col. LED 18W+12W 1830lm+1220lm 3000K CRI>80 PCB

Textured White-Blanco Texturado C377310BDT

Textured Black-Negro Texturado C377310NDT

UFO

**Ufo**



Metal/Methacrylate-Metal/Metacrilato

**3773/50** **LED 26W 2300lm 3000K CRI>80** PCB

Textured White-Blanco Texturado P377310BDT

Textured Black-Negro Texturado P377310NDT

CURVE




Curve

Aluminium/Aluminio-Acrílico/Aluminio
Opal/Matt Nickel-Opal/Níquel Mate

3384/50 LED 50W 4488lm 3200K CRI>80 PCB

P338470NM




Curve

Acrylic/Aluminium-Acrílico/Aluminio
Opal/Matt Nickel-Opal/Níquel Mate

3384 Pie LED 30W 2457lm 3200K CRI>80 PCB

H338410NM




Curve

Acrylic/Aluminium-Acrílico/Aluminio
Opal/Matt Nickel-Opal/Níquel Mate



3384 Sob LED 10W 819lm 3200K CRI>80 PCB

S338410NM





CURVE




Curve

Acrylic/Aluminium-Acrílico/Aluminio
Opal/Matt Nickel-Opal/Níquel Mate

16/3384  LED 10W 819lm 3200K CRI>80 PCB 

A338410NM




Curve

Acrylic/Aluminium-Acrílico/Aluminio
Opal/Matt Nickel-Opal/Níquel Mate

3384/100  LED 36W 2866lm 3200K CRI>80 PCB 

C338490NM




Curve

Acrylic/Aluminium-Acrílico/Aluminio
Opal/Matt Nickel-Opal/Níquel Mate

3384/50 Col.  LED 36W 2866lm 3200K CRI>80 PCB 

C338470NM

SAMOA




Samoa

Metal/Methacrylate-Metal/Metacrilato
Textured White-Blanco Texturado

3642/3P LED 24W 1938lm 3200K CRI>80 PCB

P364230B




Samoa

Metal/Methacrylate-Metal/Metacrilato
Textured White-Blanco Texturado

16/3642 LED 8W 646lm 3200K CRI>80 PCB

A364210B



Samoa


Metal/Methacrylate-Metal/Metacrilato
Textured White-Blanco Texturado

3642/1 Sob. LED 8W 646lm 3200K CRI>80 PCB

S364210B




SAMOA

**Samoa**

Metal/Methacrylate-Metal/Metacrilato
Textured White-Blanco Texturado

3642/5L  **LED 36W 3230lm 3200K CRI>80** PCB 

C364250B


**Samoa**

Metal/Methacrylate-Metal/Metacrilato
Textured White-Blanco Texturado

3642/3L  **LED 24W 1938lm 3200K CRI>80** PCB 

C364230B


DOMINICA

**Dominica**

Aluminium/Methacrylate-Aluminio/Metacrilato
Silver/Chrome-Plata/Cromo

3681/57 Col. LED 40W 3224lm 3200K CRI>80 PCB


C368170C

**Dominica**

Aluminium/Methacrylate-Aluminio/Metacrilato
Silver/Chrome-Plata/Cromo

3681/76 Col. LED 60W 4835lm 3200K CRI>80 PCB

C36810C

**Dominica**



Aluminium/Methacrylate-Aluminio/Metacrilato
Silver/Chrome-Plata/Cromo

3681/57 LED 40W 3224lm 3200K CRI>80 PCB

P368170C



DOMINICA

**Dominica**

Aluminium/Methacrylate-Aluminio/Metacrilato
Silver/Chrome-Plata/Cromo

16/3681  **LED 5W 400lm 3200K CRI>80** PCB 


A368110C

**Dominica**

Aluminium/Methacrylate-Aluminio/Metacrilato
Silver/Chrome-Plata/Cromo

3681/1 Pie.  **LED 18W 1140lm 3200K CRI>80** PCB 

H368110C

**Dominica**

Aluminium/Methacrylate-Aluminio/Metacrilato
Silver/Chrome-Plata/Cromo

3681/1 Sob.  **LED 6W 480lm 3200K CRI>80** PCB 

S368110C

AUSTRAL


Austral

Aluminium/PC-Aluminio/PC
White-Blanco

3455/1 LED 8W 720lm 3200K CRI>80

PCB

C34551012B





Austral

Aluminium/PC-Aluminio/PC
White-Blanco

3455/P4 LED 32W 2880lm 3200K CRI>80

PCB

P34554012B



Austral

Aluminium/PC-Aluminio/PC
White-Blanco



3455/R4 LED 32W 2880lm 3200K CRI>80

PCB

C34554012B




BELENUS


**Belenus**Metal/Methacrylate-Metal/Metacrilato
White-Blanco3444/30  **LED 50W 2770lm 3200K CRI>80** PCB 

ON-OFF TRIAC DALI

P344410B P344410BDT P344410BDP


**Belenus**Metal/Methacrylate-Metal/Metacrilato
White-Blanco3444/1  **LED 32W 1629lm 3200K CRI>80** PCB 

C344410B

**Belenus**Metal/Methacrylate-Metal/Metacrilato
White-Blanco3444/2 Col.  **LED 32+24W 1629+729lm 3200K CRI>80** PCB 

C344420B

NANOK



Nanok
Textil/Acrylic
Textil/Acrílico

3456/36  **1xE27**

Beige/Satin Nickel C34560BG
Beige/Niquel Satinado

Brown/Satin Nickel C34560MA
Marrón/Niquel Satinado



Nanok
Textil/Acrylic
Textil/Acrílico


3456/60  **3xE27**

Beige/Satin Nickel C34561BG
Beige/Niquel Satinado

Brown/Satin Nickel C34561MA
Marrón/Niquel Satinado




NANOK

**Nanok**Textil/Acrylic
Textil/Acrílico**3456/3L****3xE27**Beige/Satin Nickel
Beige/Niquel Satinado

C34563BG

Brown/Satin Nickel
Marrón/Niquel Satinado

C34563MA


**Nanok**Textil/Acrylic
Textil/Acrílico**16/3456****1xE27**Beige/Satin Nickel
Beige/Niquel Satinado

A34560B

Brown/Satin Nickel
Marrón/Niquel Satinado

A34560MA

MIRTA



Mirta

Textil/Acrylic
Textil/Acrílico

3055/38  **1xE27**

White/Satin Nickel C30550B
Blanco/Niquel Satinado




Stone/Satin Nickel C30550PI
Piedra/Niquel Satinado

3055/45  **1xE27**


White/Satin Nickel C30551B
Blanco/Niquel Satinado

Stone/Satin Nickel C30551PI
Piedra/Niquel Satinado

MURTA

**Murta**Textil/Acrylic
Textil/Acrílico**3054/35**  **1xE27**White/Satin nickel
Blanco/Niquel satinado S30540BStone/Satin Nickel
Piedra/Niquel Satinado S30540PI**Murta**Textil/Acrylic
Textil/Acrílico**3054/50**  **1xE27**White/Satin nickel
Blanco/Niquel satinado S30541BStone/Satin Nickel
Piedra/Niquel Satinado S30541PI**Murta**Textil/Acrylic
Textil/Acrílico**3054/70**  **1xE27**White/Satin nickel
Blanco/Niquel satinado S30542BStone/Satin Nickel
Piedra/Niquel Satinado S30542PI

FLEXI



Flexi

Metal/Silicone

Metal/Silicone

3473/5



5x E27


White/Blanco

P34735B

Black/Negro

P34735N

Bulb not included-Bombilla no incluida



Flexi

Metal/Silicone

Metal/Silicone

16/3473



1x E27

White/Blanco

A34731B


Black/Negro

A34731N


Bulb not included-Bombilla no incluida




SENT

**Sent**Metal-Metal
Textured White-Blanco Texturado**3692/3L**  **3xE27**

C36923B


**Sent**Metal-Metal
Textured White-Blanco Texturado**3692/15**  **1xE27**

C36921B

**Sent**Metal-Metal
Textured White-Blanco Texturado**3692/35**  **1xE27**

C36925B

NASSAU




Nassau

Metal/Acrylic-Metal/Acrílico
Textured white-Blanco texturado

3702/60+40 Col. LED 52W+32.5W 7450lm 3200K CRI>80 PCB

C370240B



Nassau


Metal/Acrylic-Metal/Acrílico
Textured white-Blanco Texturado

3702/60 Col. LED 52W 4550lm 3200K CRI>80 PCB

C370220B




ITAL

**Ital**

Metal/Glass-Metal/Cristal
Chrome/White-Cromo/Blanco


3543/52  LED 32W 3168lm 3200K CRI>80 PCB 
P354370C

**Ital**

Metal/Glass-Metal/Cristal
Chrome/White-Cromo/Blanco

3543/52Col  LED 32W 3168lm 3200K CRI>80 PCB 
C354370C

STUDIO



Studio

Aluminium-Aluminio

3235/7  **LED 8W 755lm 3200K CRI>80** COB 


White-Blanco C32351B

Black-Negro C32351N





ENON




Enon
Cement-Cemento
Grey Cement-Cemento Gris

3686/30  1xE27

C36861GR

SHIRU




**Shiru**Cement/Double layer glass-Cemento/Cristal doble capa
Cement Stone-Cemento Piedra**3685****1xE27**

C36851B




Max. 82mm

SHIRU

**Tari**Cement/Double layer glass-Cemento/Cristal doble capa
Cement Stone-Cemento Piedra**3657****1xE27**

C36571B

TARI

**Herc**Cement-Cemento
Sandstone-Piedra**3687****1xE27**

C36871B

HERC



ESFERA




Esfera

Metal-Metal

3738/42  1xE27

White-Blanco C37386B

Grey-Gris C37386GR




Esfera

Metal-Metal



3738/52  1xE27

White-Blanco C37388B

Grey-Gris C37388GR



ONNA

**Onna**

Aluminium/Acrylic-Aluminio/Acrílico



3195/1  **LED 8W 755lm 3200K CRI>80** COB 

White-Blanco C31951B

Black-Negro C31951N



TAI

**Tai**

Aluminium/Acrylic-Aluminio/Acrílico


3196/1  **LED 8W 755lm 3200K CRI>80** COB 

White-Blanco C31961B

Black-Negro C31961N



BENDIS



Bendis

Aluminium-Aluminio




3562/3  LED 15W 1800lm 3200K CRI>80 PCB 

White-Blanco C356230B

Black-Negro C356230N

 Surface
Superficie





BENDIS

Surface



Recessed

**Bendis**

Aluminium-Aluminio

**3562** **LED 5W 600lm 3200K CRI>80 PCB**

White-Blanco C356220B

Black-Negro C356220N

Surface
Superficie**Bendis**

Aluminium-Aluminio

Recessed/Empotrable


**3562** **LED 5W 600lm 3200K CRI>80 PCB**

White-Blanco E356220B

Black-Negro E356220N

Recessed
EmpotrableCutting hole Ø76mm.
Agujero de corte

DAGO

**Dago**

Metal/Methacrylate-Metal/Metacrilato
Textured White-Blanco Texturada




8127 **LED 31W 1747lm 3200K CRI>80** PCB

ON-OFF	TRIAC	DALI
C81271B	C81271BDT	C81271BDP



GABO

**Gabo**


Aluminium/Acrylic
Aluminio/Acrílico



3245/60 **LED 50W 4500lm CRI>80** PCB

		ON-OFF	TRIAC	DALI/PUSH
White Blanco	3200K	D324570B	D324570BDT	D324570BDP
	4200K	D324571B	D324571BDT	D324571BDP
Black Negro	3200K	D324570N	D324570NDT	D324570NDP
	4200K	D324571N	D324571NDT	D324571NDP






Moala

Metal/Acrylic-Metal/Acrílico

3656/62 Col.  LED 35W 3108lm 3200K CRI>80 PCB 

Textured white
Blanco Texturado C365620B

Oxide Brown
Marrón Óxido C365620F



Moala


Metal/Acrylic-Metal/Acrílico

3656/62+42 Col.  LED 35W+23W 5150lm 3200K CRI>80 PCB 

Textured white
Blanco Texturado C365640B

Oxide Brown
Marrón Óxido C365640F

CIRO




Ciro

Metal/Glass-Metal/Cristal
Opal/Chrome-Opal/Cromo

7006 1xE27

C70064C

NINTU




Nintu

Metal-Metal
White-Blanco

3433/35 1xE27

C34331B

INARI



Inari


Metal-Metal
White-Blanco

3434/35 1xE27

C34341B



JARVIS

**Jarvis**

Metal-Metal

3708/30  **1xE27**

Textured Black

C370841N

Negro Texturado


Textured White

C370841B

Blanco Texturado



BELEP

**Belep**

Metal-Metal

3709/20  **1xE27**

Textured Black

C370921N

Negro Texturado

Textured White

C370921B

Blanco Texturado

WALLIS



Wallis

Metal-Metal

3715/1  **1xE27**

Black C37151N

Negro


Aged antique brass C37151U

Cuero envejecido

Bulb not included-Bombilla no incluida



TANA



Tana

Metal-Metal

3714/1  **1xE27**


Black C37141N

Negro


Aged antique brass C37141U

Cuero envejecido

Bulb not included-Bombilla no incluida



ADD YOUR SHADE
AÑADE TU PANTALLA


**Bagao**

Metal-Metal

3710/26  **1xE27**Black/White
Negro/Blanco C371031NBlack/Technical gold
Negro/Oro técnico C371031NOTWhite/White
Blanco/Blanco C371031BWhite/Technical gold
Blanco/Oro técnico C371031BOT

Bulb not included-Bombilla no incluida

TIGA




Tiga

Metal-Metal

3707/35	1xE27
Textured Black-Textured White <i>Negro Texturado-Blanco Texturado</i>	C370741N
Textured Black-Technical gold <i>Negro Texturado-Oro Técnico</i>	C370741NOT
Textured White <i>Blanco Texturado</i>	C370741B
Textured White-Technical gold <i>Blanco Texturado-Oro Técnico</i>	C370741BOT



BELLONA



Bellona

Metal-Metal
Black-Negro


3711/38	1xE27
C371151N	

Bulb not included-Bombilla no incluida





ULAWA



Ulawa

Metal-Metal
Black-Negro

3712/35




1xE27

C371251N

Bulb not included-Bombilla no incluida



TAO



Tao

Metal-Metal
Black-Negro

3713/32




1xE27

C371341N

Bulb not included-Bombilla no incluida

DEKLA




Dekla

Metal/Cotton-Metal/Algodón
Satin Nickel/White-Níquel Satinado/Blanco

8013 Apl.  1xE27

A80131NMSB

Shade measures-Medidas pantalla 160(H) X Ø200 X Ø170mm.




Dekla

Metal/Cotton-Metal/Algodón
Satin Nickel/White-Níquel Satinado/Blanco

8013 Sob.  1xE27

S80131NSBEST

Shade measures-Medidas pantalla 180(H) X Ø250 X Ø205mm.



Dekla

Metal/Cotton-Metal/Algodón
Satin Nickel/White-Níquel Satinado/Blanco

8013 Pie.  1xE27


H80131NSBEST

Shade measures-Medidas pantalla 230(H) X Ø300 X Ø230mm.





ARAM



Aram

Metal/Cotton-Metal/Algodón
Satin Nickel-Níquel Satinado

1xE27

LED 3W 450lm PCB

16/657


3200K CRI>80

A166571NMS

Shade measures-Medidas pantalla 155(H) X 200 X 170 mm.



DION




Dion

Metal/Cotton-Metal/Algodón
Satin Nickel/White-Níquel Satinado/Blanco

8022 Sob. 1xE27

S80221NMSBEST

Shade measures-Medidas pantalla 185(H) X Ø280 X Ø233mm.



Dion


Metal/Cotton-Metal/Algodón
Satin Nickel/White-Níquel Satinado/Blanco

8022 Pie. 1xE27

H80221NMSBEST

Shade measures-Medidas pantalla 225(H) X Ø350 X Ø300mm.

EMES

**Emes**

Metal/Cotton

Metal/Algodón

8009 Apl.**1xE27**


Chrome-Cromo

A80091CB

Satin Nickel-Níquel Satinado

A80091NMSB

Shade measures-Medidas pantalla 140(H) X 200 X 120 mm.

**Emes**

Metal/Cotton

Metal/Algodón

8009 Sob.**1xE27**


Chrome-Cromo

S80091CBEST

Satin Nickel-Níquel Satinado

S80091NSBEST

Shade measures-Medidas pantalla 140(H) X 280 X 180 mm.

**Emes**

Metal/Cotton

Metal/Algodón

8009 Pie.**1xE27**

Chrome-Cromo

H80091CBEST

Satin Nickel-Níquel Satinado

H80091NSBEST

Shade measures-Medidas pantalla 185(H) X 380 X 240 mm.


PALMYRA



3 Steps dimming
3 intensidades



Touch control
Botón táctil

**Palmyra**

Metal-Metal
Black-Negro

8146 Pie. LED 25W+8W 2000+640lm 3000K CRI>80 PCB


H814610N



3 Steps dimming
3 intensidades



Touch control
Botón táctil

**Palmyra**

Metal-Metal
Black-Negro

8146 Sob. LED 8W 480lm 3000K CRI>80 PCB

S814610N



ELBA




Elba

Metal/Cotton-Metal/Algodón
Chrome/White-Cromo/Blanco

8133 Sob.  1xE27

S81331CB

Shade measures-Medidas pantalla 180(H) X Ø250 X Ø200mm.



Elba

Metal/Cotton-Metal/Algodón
Chrome/White-Cromo/Blanco

8133 Pie.  1xE27


H81331CB

Shade measures-Medidas pantalla 220(H) X Ø350 X Ø280mm.






ELBA

**Elba**Metal/Cotton-Metal/Algodón
Chrome/White-Cromo/Blanco**16/8133**  **1xE27**


A81331CB

Shade measures-Medidas pantalla 180(H) X Ø250 X Ø200mm.

**Elba**Metal/Cotton-Metal/Algodón
Chrome/White-Cromo/Blanco**8133/3**  **3xE27**

C81333CB

Shade measures-Medidas pantalla 220(H) X Ø350 X Ø280mm.

**Elba**Metal/Cotton-Metal/Algodón
Chrome/White-Cromo/Blanco**8133/2**  **2xE27**

C81332CB

Shade measures-Medidas pantalla 220(H) X Ø350 X Ø280mm.

MAUI



By Nacho Timón


Maui

Metal/Glass-Metal/Cristal
Antique Gold/Opal-Oro Viejo/Opal

8163/5 5xE27

C81635O

Ø max 45mm
máx. 120



By Nacho Timón



Maui

Metal/Glass-Metal/Cristal
Antique Gold/Opal-Oro Viejo/Opal

8163/4 4xE27

C81634O

Ø max 45mm
máx. 120








MAUI

**Maui**Metal/Glass-Metal/Cristal
Antique Gold/Opal-Oro Viejo/Opal**8163 Pie**  **1xE27**

H81631O

 Ømax. 45mm
máx. 120**Maui**Metal/Glass-Metal/Cristal
Antique Gold/Opal-Oro Viejo/Opal**8163 Sob.**  **1xE27**

S81631O

 Ømax. 45mm
máx. 120**Maui**Metal/Glass-Metal/Cristal
Antique Gold/Opal-Oro Viejo/Opal**16/8163**  **1xE27**

A81631O

 Ømax. 45mm
máx. 120




Kin

Metal-Metal

Opal/Textured Black-Opal/Negro Texturado

8169 Pie  LED 10W 740lm 3000K CRI>80 PCB 

H816910N





Kin

Metal-Metal

Opal/Textured Black-Opal/Negro Texturado

8169/3  LED 15W 1100lm 3000K CRI>80 PCB 

C816930N




Kin

Metal-Metal


Opal/Textured Black-Opal/Negro Texturado

16/8169  LED 5W 370lm 3000K CRI>80 PCB 

A816910N



KIN


**Kin**

Metal-Metal

Opal/Textured Black-Opal/Negro Texturado

8169/5 LED 25W 1850lm 3000K CRI>80 PCB

C816950N

**Kin**


Metal-Metal

Opal/Textured Black-Opal/Negro Texturado

8169/6 LED 30W 2220lm 3000K CRI>80 PCB

C816960N

PRAIA


**Praia**

Metal/Methacrylate-Metal/Metacrilato

TRIDONIC**8164/1** **LED 24W 2950lm 3000K CRI>80**

Satin Nickel-Níquel Satinado H816410NS

Antique Brass-Cuero H816410U

**Praia**

Metal/Methacrylate-Metal/Metacrilato

TRIDONIC**LED 24W 2950lm** **LED 3W 350lm** **8164/2** **3000K CRI>80**


Satin Nickel-Níquel Satinado H816420NS

Antique Brass-Cuero H816420U





YAMENA



TRIDONIC

Yamena

Metal/Methacrylate-Metal/Metacrilato

LED 24W 2950lm PCB

LED 3W 350lm PCB

8165 3000K CRI>80

Satin Nickel-Niquel Satinado

H816520NS

Chrome-Cromo

H816520C

Textured Black-Negro Texturado

H816520N

KEKE



Stepless dimming
Dimado progresivo





Touch control
Botón táctil



Built-in battery 2h min. - 30h max.
Batería integrada 30h

Built-in battery: 2h (100% intensity) - 30h (10% intensity)
Batería integrada: 2h (100% intensidad) - 30h (10% intensidad)



Keke

Acrylic/ABS-Acrílico/ABS
White-Blanco

8151 Sob.  LED 6W 180lm 4200K CRI>80 

S81511B





TAKE ME



Take Me IP44

Polyethylene/Silicone-Polietileno/Silicona
Opal/Beige-Opal/Beige

8172 LED 3W 180lm RGB CRI>80 PCB

S817218BG



Bluetooth
Bluetooth



Remote control
Mando a distancia



Stepless dimming
Dimado progresivo



Speaker power
Potencia de los altavoces



RGB
RGB



Playback/Lighting time
Tiempo de reproducción/alumbrado



MOVE IT



Bluetooth
Bluetooth




Stepless dimming
Dimado progresivo



Playing/Lighting time
Tiempo de reproducción/alumbrado



Speaker power
Potencia de los altavoces



Move It IP44

Silicone/ABS-Silicona/ABS
Opal/Grey-Opal/Gris

8173 LED 2W 180lm 4000K CRI>80 PCB


S81731GR

MICAELA


**Micaela**

Textil/Acrylic-Textil/Acrílico

8174		1xE27
White/Blanco		S81741B
Turquoise/Turquesa		S81741TU
Grey/Gris		S81741GR
Mallow/Malva		S81741MV
Olive Green/Verde Oliva		S81741V




KURE

TOUCH control
Botón táctil4 Steps dimming
4 Intensidades4 Colour temp.
4 Temp. color
3000K-4000K
5000K-6000K**Kure**Acrylic/ABS-Acrílico/ABS
Black-Negro

8157 Sob. LED 8W 410lm 3000K-6000K CRI>80 PCB

S815710N

LAYSAN

USB out put
USB salidaTOUCH control
Botón táctil6 Steps dimming
6 Intensidades5 Colour temperature
5 Temperaturas color60 mins timer
Temporizador 60 min.**Laysan**Aluminium/ABS-Acrílico/ABS
Black-Negro

USB output: DC 5V-MAX. 1A

8152 Sob. LED 10W 650lm 2800K-6500K CRI>80 PCB

S81521N

GALANDA


Galanda

Metal/Cotton

Metal/Algodón

8136  1xE27Antique Brass
Cuero S81361USatin Nickel
Níquel Satinado S81361NS

Shade measures-Medidas pantalla 140(H) X Ø280 X Ø180 mm.



LIRIO


Lirio

Metal/Cotton

Metal/Algodón

8138  1xE27Antique Brass
Cuero S81381USatin Nickel
Níquel Satinado S81381NS

Shade measures-Medidas pantalla 200(H) X Ø300 mm.



MARTA


Marta

Metal/Cotton

Metal/Algodón

2151  1xE27Antique Brass
Cuero S21511USatin Nickel
Níquel Satinado S21511NMS

Shade measures-Medidas pantalla 180(H) X Ø250 X Ø200 mm.



MARTÍN


Martín

Metal/Cotton


Metal/Algodón

8125  1xE27Antique Brass
Cuero S81251USatin Nickel
Níquel Satinado S81251NS

Shade measures-Medidas pantalla 165(H) X Ø140 mm.



XOLA

**Xola**

Metal/Glass-Metal/Cristal

8100/4P  **4xE14**

Chrome/White


P81004C

Antique Brass/White

P81004U

Cromo/Blanco

Cuero/Blanco

**Xola**

Metal/Opal glass-Metal/Cristal opal

8100/4L  **4xE14**

Chrome/White


L81004C

Antique Brass/White

L81004U

Cromo/Blanco

Cuero/Blanco

**Xola**

Metal/Opal glass-Metal/Cristal opal

8100 Sob.  **1xE14**

Chrome/White

S81001C

Antique Brass/White

S81001U

Cromo/Blanco

Cuero/Blanco

ELENA

Elena

Metal/Cristal

Metal/Glass


2173/3  **3xE14**

Chrome L21733C

Cromo

Antique Brass L21733U

Cuero

**Elena**

Metal/Cristal

Metal/Glass


2173 Sob.  **1xE14**

Chrome S21731C


Cromo

Antique Brass S21731U

Cuero



ELENA




Elena
Metal/Cristal
Metal/Glass

2173/6  **6xE14**

Chrome L21736C

Antique Brass L21736U

VOLTA



Volta


Metal/Cotton
Metal/Algodón

8140/4  **4xE27**

Antique Brass C81404U
Cuero

Satin Nickel C81404NS
Níquel Satinado

Shade measures-Medidas pantalla 130(H) X Ø220 mm.



Volta

Metal/Cotton
Metal/Algodón

8140/2  **2xE27**

Antique Brass C81402U
Cuero


Satin Nickel C81402NS
Níquel Satinado

Shade measures-Medidas pantalla 130(H) X Ø220 mm.





DACIA




Dacia

Metal/Double layer glass-Metal/Cristal doble capa
Chrome/White-Cromo/Blanco

8121/5  5x E14

L81215BC




Dacia

Metal/Double layer glass-Metal/Cristal doble capa
Chrome/White-Cromo/Blanco

16/8121  1x E14

A81211BC




Dacia

Metal/Double layer glass-Metal/Cristal doble capa
Chrome/White-Cromo/Blanco

8121 Sob.  1x E14

S81211BC



ACB

**ILUMINACIÓN
EXTERIOR**
OUTDOOR LIGHTING

TAKE ME

**Take Me IP44**Polyethylene/Silicone-Polietileno/Silicona
Opal/Beige-Opal/Beige**8172** LED 3W 180lm RGB CRI>80

S817218BG

Bluetooth
BluetoothStepless dimming
Dimado progresivoRGB
RGBRemote control
Mando a distanciaSpeaker power
Potencia de los altavocesPlayback/Lighting time
Tiempo de reproducción/alumbrado

KEKE



Stepless dimming
Dimado progresivo



Touch control
Botón táctil



Built-in battery 2h min. - 30h max.
Batería integrada 30h


Keke

Acrylic/ABS-Acrílico/ABS
White-Blanco

8151 Sob.  **LED 6W 180lm 4200K CRI>80**

PCB 

S81511B



Built-in battery: 2h (100% intensity) - 30h (10% intensity)
Batería integrada: 2h (100% intensidad) - 30h (10% intensidad)



MOVE IT



Bluetooth
Bluetooth




Stepless dimming
Dimado progresivo



Playback/Lighting time
Tiempo de reproducción/alumbrado



Speaker power
Potencia de los altavoces


**Move It IP44**

Silicone/ABS-Silicona/ABS
Opal/Grey-Opal/Gris

8173  **LED 2W 180lm 4000K CRI>80** PCB 

S81731GR

NIGHT



ACCESSORIES INCLUDED
ACCESORIOS INCLUIDOS



USES / USOS




Night IP54
Polyethylene/ABS-Polietileno/ABS
Opal/Black-Opal/Negro

8171 1xE27

S8171N

MADISON



AVAILABLE IN 3 VERSIONS:
ON-OFF, SENSOR AND EMERGENCY
DISPONIBLE EN 3 VERSIONES:
ON-OFF, SENSOR Y EMERGENCIA

Madison IP54

Acrylic-Acrílico
White-Blanco

3497/28 LED 24W 1700lm CRI>80 PCB

ON-OFF P349713B **3000K 4000K 6500K**

SENSOR P349713BMS **3000K 4000K 6500K**

* 3 in 1: Set the colour temperature before installing
* 3 en 1: Configura la temperatura de color antes de la instalación

EMERGENCY P349711BEM **4000K**

SENSOR



Motion sensor
Sensor de movimiento



5s-30 min.
Hold time
Tiempo de espera



6 m. max.
Mounting height
Altura de montaje



Automatic On/Off
Encendido automático



1 - 6 m.
Detection zone
Zona de detección



10 - 2000 lux
Light sensor
Sensor de luminosidad

EMERGENCY




3h.
Time
Tiempo



EMERGENCY



SQUARE




Square IP54

Acrylic-Acrílico
White-Blanco


3512/28 LED 24W 1700lm CRI>80 PCB

ON-OFF P351213B **3000K 4000K 6500K**

* 3 in 1: Set the colour temperature before installing
* 3 en 1: Configura la temperatura de color antes de la instalación



ACAI



Acai IP54

Aluminium/Acrylic-Aluminio/Acrílico
Grey/Opal-Gris/Opal

2002




2xE27

P20024GR



DALIA



Dalia IP54

Aluminium/Acrylic-Aluminio/Acrílico
Grey/Opal-Gris/Opal

2003



2xE27

P20034GR





TILO



0.5~3m/s
Motion sensor
Sensor de movimiento



6 X 12 m.
Detection zone
Zona de detección



5 - 50 lux
Light sensor
Sensor de luminosidad




5s-30 min.
Hold time
Tiempo de espera



6 m. max.
Mounting height
Altura de montaje



Automatic On/Off
Encendido automático


**Tilo IP65**

ABS/Acrylic-ABS/Acrílico
Grey/Opal-Gris/Opal

2013  **LED 15W 1750lm 3000K CRI>80** PCB 

P201310GR

YUCA



Yuca IP54

Aluminium/Acrylic-Aluminio/Acrílico
Grey/Opal-Gris/Opal


2001



1xE27

P20013GR

SAUDO



Saudo IP54

Aluminium/Acrylic-Aluminio/Acrílico
Grey/Opal-Gris/Opal


2004



1xE27

P20043GR

MALVA

**Malva IP65**


ABS/Acrylic-ABS/Acrílico
White-Blanco

16/3356  **LED 8W 450lm 4000K CRI>80**

PCB 

A335621B

KENTIA

**Kentia IP65**

ABS/Acrylic-ABS/Acrílico
White-Blanco


3355/22  **LED 8W 450lm 4000K CRI>80**

PCB 

P335521B



FICUS




Ficus IP54

Aluminium/Acrílico-Aluminio/Acrílico
Textured black/Opal-Negro texturado/Opal

2017/27 2xE27

P20174N



Sun IP65

Aluminium-Auminio
Textured black-Negro texturado


2026/13 LED 20W 1800lm 4200K CRI>80 PCB

A202611N

2026/20 LED 50W 4500lm 4200K CRI>80 PCB

A202621N

CALA



Hold time 5s-4 min.
Tiempo de espera 10s-4 min.



Light sensor
Sensor de luminosidad



Detection zone max. 8 m.
Zona de detección máx. 8 m.



Detection angle 45°-160°
Ángulo de detección 45°-160°



Motion sensor
Sensor de movimiento

Cala IP54

Aluminio-Aluminio
Dark grey-Gris oscuro


16/2018 **LED 5.6W 610lm 3000K CRI>80** COB

A201810GR

Tilting
Basculante



AKA


**Aka IP54**

Aluminium/Acrylic-Aluminio/Acrílico
Textured black/Opal-Negro texturado/Opal

2024 **LED 20W 1550lm 3200K CRI>80** PCB

A202410N

KOWA



Kowa IP54

Aluminium-Auminio



16/2033  LED 2x5W 850lm 3000K CRI>80

COB 

Textured white-Blanco texturado A203310B

Textured black-Negro texturado A203310N

KENDO



Kendo IP54

Aluminium-Auminio

16/2032  LED 2x5W 850lm 3000K CRI>80


COB 

Textured white-Blanco texturado A203210B

Textured black-Negro texturado A203210N



YOMU



**Yomu IP54**

Aluminium/Acrylic-Aluminio/Acrílico
Textured black/Opal-Negro texturado/Opal

2023  **LED 11W 800lm 3200K CRI>80** PCB 

A202310N

KANSAS

**Kansas IP54**

Aluminium/Acrylic-Aluminio/Acrílico
Textured black/Opal-Negro texturado/Opal

2025  **LED 11W 800lm 3200K CRI>80** PCB 

A202520N

HULLA



Hulla IP54



Aluminium-Aluminio

Textured anthracite-Antracita texturado

16/2027  LED 2X6W 831lm 3200K CRI>80 PCB 

A202710GR

DURILLO



Durillo IP54

Aluminium-Aluminio


Textured anthracite-Antracita texturado

16/2028  LED 2X6W 831lm 3200K CRI>80 PCB 

A202810GR



VULCAN



Radar sensor
Sensor radar




Detection zone max. 4-6 m.
Zona de detección máx. 4-6 m.



Light sensor
Sensor de luminosidad



Solar charger
Carga solar




Vulcan IP65

ABS/Acrylic-ABS/Acrílico
Black-Negro

2042 LED 3W 250lm 3000K CRI>80 PCB

AS204210N

BOND



Motion sensor
Sensor de movimiento



Hold time 30s.
Tiempo de espera 30s.



Detection zone max. 5 m.
Zona de detección máx. 5 m.



Light sensor
Sensor de luminosidad



Solar charger
Carga solar





Bond IP64

ABS/Acrylic-ABS/Acrílico
Black/Opal-Negro/Opal

2043 LED 2.5W 250lm 4000K CRI>80 PCB

AS20431N

SOLAR



Motion sensor
Sensor de movimiento



Hold time 30s.
Tiempo de espera 30s.



Detection zone max. 3 m.
Zona de detección máx. 3 m.



Light sensor
Sensor de luminosidad



Solar charger
Carga solar




Solar IP65

ABS/Acrylic-ABS/Acrílico
Black-Negro

2020 LED 6.6W 600lm 6000K CRI>80 PCB

AS202012N

CUBE

**Cube IP54**


Aluminium/Glass-Aluminio/Cristal
Anthractive-Antracita

16/2039  1xE27

A20391GR




BOJ

**Boj IP54**

Aluminium-Auminio
Anthracite-Antracita

16/2015 **LED 2x6W 1100lm 3000K CRI>80** PCB

A201520GR

**Boj IP54**


Aluminium-Auminio
Anthracite-Antracita

16/2040 **LED 6W 550lm 3000K CRI>80** PCB

A204010GR




OKRA

**Okra IP54**

Aluminium-Auminio
Anthracite-Antracita

16/2041 **LED 6W 550lm 3000K CRI>80** PCB

A204110GR

**Okra IP54**

Aluminium-Auminio
Anthracite-Antracita


16/2014 **LED 2x6W 1100lm 3000K CRI>80** PCB

A201420GR





LIMA


**Lima IP54**

Aluminium/Acrylic-Aluminio/Acrílico

Grey-Grís

2006  LED 5W 525lm 3200K CRI>80 PCB 

A20061GR

**Lima IP54**


Aluminium/Acrylic-Aluminio/Acrílico

Grey-Grís

2005  LED 5W 525lm 3200K CRI>80 PCB 

A20058GR

ZEN




Zen IP54

Aluminium/Acrylic-Aluminio/Acrílico
Anthracite-Antracita

16/2038  LED 10W 720lm 3200K CRI>80 PCB 

A203810GR



Zen IP54

Aluminium/Acrylic-Aluminio/Acrílico
Anthracite-Antracita

2038  LED 10W 720lm 3200K CRI>80 PCB 

H203810GR



ABBI	Baño	171	CRAFT	Apliques	44	KENDO	Apliques	27	PRAIA	Colgantes	258
ACAI	Exterior	276	CUBE	Exterior	287	KENDO	Exterior	282	QUATRO	Plafones	105
ADAN	Apliques	62	CURVE	Plafones	99	KENTIA	Exterior	279	REGAL	Técnico	131
ADELA	Baño	166	CURVE	Colgantes	216-217	KIDAL	Técnico	140	REXA	Técnico	143
ADRIANA	Baño	196	CUSTOM	Apliques	60	KIKA	Técnico	141	ROKU	Técnico	145
ADROA	Plafones	103	DACIA	Colgantes	269	KIN	Colgantes	256-257	ROYAL	Plafones	95
AIR	Apliques	21	DAGO	Colgantes	240	KIRA	Apliques	19	SALSA	Plafones	96
AKA	Exterior	281	DALIA	Exterior	276	KORE	Técnico	144	SAMBA	Baño	156
AKIL	Plafones	91	DANA	Apliques	16	KOWA	Apliques	27	SAMOA	Plafones	98
ALAN	Apliques	40	DARIO	Apliques	62	KOWA	Exterior	282	SAMOA	Colgantes	218-219
ALB	Baño	185	DEKA	Técnico	124	KUBA	Técnico	138	SAN	Técnico	136
ALBA	Apliques	15	DEKLA	Colgantes	248	KURE	Colgantes	263	SARA	Baño	157
ALDO	Apliques	39	DELTA	Técnico	128	KYOTO	Plafones	99	SASA	Apliques	35
ALDO	Baño	176	DENVER	Apliques	41	KYOTO	Colgantes	211	SAUDO	Exterior	278
ALEMA	Apliques	46	DILGA	Plafones	73	LAIKA	Apliques	48	SAUL	Plafones	107
ALEXIA	Técnico	134	DILGA	Colgantes	206-207	LAINA	Plafones	92	SAWA	Técnico	117
ALIENA	Baño	161	DINA	Apliques	29	LAMBDA	Técnico	126	SENT	Colgantes	229
ALISO	Plafones	69	DINS	Plafones	89	LANDA	Apliques	45	SHADOW	Apliques	25
ALISO	Colgantes	212-213	DINS	Baño	185	LAYSAN	Colgantes	263	SHITAKE	Plafones	97
AMANZI	Baño	194	DION	Colgantes	249	LEYA	Apliques	38	SHITAKE	Colgantes	210
ANGUS	Plafones	68	DOBLE	Apliques	58	LIMA	Exterior	289	SHIRO	Técnico	141
ANKARA	Apliques	16	DOMINICA	Plafones	100	LINA	Plafones	89	SHIRU	Colgantes	235
ANTEA	Técnico	135	DOMINICA	Colgantes	220-221	LINA	Baño	184	SILVIA	Baño	159
APEX	Técnico	118-119	DONO	Técnico	148	LIRIO	Colgantes	264	SIMA	Técnico	121
AQUA	Baño	168	DORA	Apliques	29	LISA	Apliques	55	SKY BOX	Técnico	147
ARA	Técnico	127	DORA	Técnico	135	LIVE	Plafones	84	SKY SPOT	Técnico	146
ARAM	Apliques	249	DOS	Baño	181	LOIRA	Baño	153	SMART	Plafones	104
ARCHER	Apliques	33	DSETA	Técnico	126	LOLA	Apliques	34	SOFIA	Baño	180
ARELI	Plafones	106	DURILLO	Exterior	284	LONDON	Plafones	70	SOFT	Plafones	85
ARES	Baño	160	DUSTIN	Baño	160	LOTTO	Apliques	14	SOHO	Técnico	123
ARIEL	Apliques	48	EDGAR	Técnico	130	LOU	Técnico	135	SOL	Plafones	94
ARKO	Técnico	125	EINAR	Técnico	139	LUCA	Apliques	21	SOLAR	Exterior	286
ARON	Apliques	50	ELBA	Colgantes	252-253	LUX	Baño	158	SOUL	Técnico	122
ASEN	Apliques	50	ELECTRA	Apliques	35	LYON	Apliques	43	SPECTRA	Apliques	57
ASER	Plafones	87	ELENA	Colgantes	266-267	MADISON	Plafones	79	SQUARE	Plafones	78
ASIS	Plafones	105	ELMA	Baño	196	MADISON	Baño	183	SQUARE	Baño	183
ATEN	Plafones	102	EMES	Colgantes	250	MADISON	Exterior	275	SQUARE	Exterior	275
ATREZZO	Técnico	120	EMMA	Apliques	23	MALVA	Exterior	279	STAR	Plafones	93
AUSTRAL	Colgantes	222	ENON	Colgantes	233	MANAT	Apliques	51	STUDIO	Técnico	120
AXEL	Apliques	14	EPSILON	Técnico	128	MARA	Baño	178	STUDIO	Colgantes	232
AZAEI	Apliques	34	ESFERA	Colgantes	236	MARCO	Técnico	148	SUN	Exterior	280
BAGAO	Colgantes	245	ESTELA	Baño	190	MARTA	Colgantes	264	TAI	Colgantes	237
BANDIT	Apliques	58	ESUS	Plafones	88	MARTIN	Colgantes	264	TAKE ME	Colgantes	261
BARDO	Técnico	112	ESUS	Baño	184	MAUI	Colgantes	254-255	TAKE ME	Exterior	271
BARI	Baño	197	FANNY	Baño	177	MAURO	Baño	197	TAMI	Técnico	113
BASTET	Apliques	55	FER	Apliques	45	MEG	Plafones	86	TANA	Colgantes	244
BASTRA	Apliques	17	FICUS	Exterior	280	MENORCA	Baño	175	TANGO	Técnico	132-133
BEA	Apliques	37	FLEX	Apliques	45	MICHAELA	Colgantes	262	TAO	Colgantes	247
BELENUS	Plafones	98	FLEXI	Colgantes	228	MICRON	Apliques	45	TARI	Colgantes	235
BELENUS	Colgantes	223	FLOW	Baño	162-163	MILANO	Apliques	33	TEMPO	Apliques	28
BELEP	Colgantes	243	FOTSY	Técnico	137	MINSK	Plafones	74	TEMPO	Baño	152
BELLA	Apliques	30	FOTSY	Baño	186	MIRTA	Colgantes	226	THRILLER	Técnico	130
BELLONA	Colgantes	246	FRANK	Baño	170	MIURA	Técnico	131	TIGA	Colgantes	246
BELO	Apliques	18	FRIDA	Apliques	14	MOALA	Colgantes	241	TILO	Exterior	277
BEN	Apliques	53	GABO	Colgantes	240	MOON	Plafones	83	TINIA	Plafones	94
BENDIS	Colgantes	238-239	GALA	Apliques	22	MOON	Baño	184	TRIS	Plafones	92
BENET	Apliques	59	GALANDA	Colgantes	264	MOVE IT	Colgantes	261	TUBA	Técnico	112
BIAK	Apliques	42	GAMMA	Técnico	128	MOVE IT	Exterior	273	TUBE	Apliques	52
BILL	Baño	173	GARONA	Baño	153	MUL	Baño	191	TUBUS	Baño	165
BIMBA	Baño	164	GEAL	Baño	173	MUNICH	Plafones	77	TURIN	Plafones	81
BIOS	Técnico	143	GILDA	Apliques	31	MURTA	Colgantes	227	UFO	Colgantes	214
BIP	Técnico	137	GOYA	Plafones	103	NANOK	Colgantes	224-225	ULAWA	Colgantes	247
BIP	Baño	187	GOYA	Colgantes	208	NASSAU	Colgantes	230	UNAX	Apliques	36
BLANCA	Plafones	85	HALO	Plafones	101	NELLY	Baño	153	URA	Baño	154
BLAS	Apliques	19	HALO	Colgantes	209	NERO	Baño	164	URKO	Plafones	106
BOAN	Baño	199	HERA	Técnico	137	NEUS	Apliques	63	UZZA	Plafones	80
BOJ	Exterior	288	HERA	Baño	186	NEUS	Baño	177	VANDUO	Técnico	125
BOND	Exterior	286	HERC	Colgantes	235	NEW	Técnico	124	VANDUO	Baño	186
BORA	Baño	167	HOLD	Apliques	54	NIGA	Técnico	149	VANIA	Técnico	126
BOSTON	Apliques	63	HOLLYWOOD	Baño	198	NIGHT	Exterior	274	VANILA	Baño	179
BOX	Baño	155	HULLA	Exterior	284	NINTU	Colgantes	242	VELT	Técnico	136
BRANCO	Técnico	125	ICON	Apliques	24	NOA	Apliques	40	VESI	Baño	196
BRANCO	Baño	186	ILMA	Baño	167	NORK	Técnico	136	VOLTA	Colgantes	268
BUDELLI	Técnico	115	INARI	Colgantes	242	NORMA	Apliques	26	VULCAN	Exterior	285
BUTON	Apliques	20	IRENE	Apliques	23	NUI	Técnico	116	WAKA	Técnico	138
CALA	Exterior	281	IRO	Técnico	142	OKRA	Exterior	288	WALLIS	Colgantes	244
CANDY	Apliques	56	ISIA	Plafones	66	OLIVIA	Baño	192	WAVE	Baño	172
CARLO	Apliques	59	ISIA	Colgantes	202-205	OLTER	Baño	193	WEEX	Baño	195
CARRE	Técnico	121	ISQUIA	Técnico	115	OMAR	Plafones	107	WENDY	Apliques	53
CASIO	Apliques	32	ITAL	Plafones	101	ONDAS	Apliques	29	WINKA	Técnico	139
CELIA	Técnico	150	ITAL	Colgantes	231	ONNA	Colgantes	237	XOLA	Colgantes	265
CELSIO	Apliques	40	IZTAC	Baño	178	ORDES	Baño	178	YAKU	Baño	164
CINQUENTAS	Baño	174	JAL	Baño	173	OSLO	Plafones	104	YAMENA	Colgantes	259
CINTIA	Plafones	102	JARVIS	Colgantes	243	PALMYRA	Colgantes	251	YEI	Baño	170
CIO	Apliques	43	JONAS	Apliques	37	PANAU	Apliques	49	YES	Técnico	124
CIRO	Colgantes	242	JONSU	Apliques	21	PAUL	Técnico	130	YOMU	Exterior	283
CITY	Apliques	33	JOUR	Baño	189	PERLA	Apliques	31	YON	Técnico	149
CLAUDIA	Técnico	150	JUBAL	Apliques	50	PETRA	Baño	197	YOTA	Técnico	128
CLEVER	Técnico	123	KALI	Plafones	90	PICTO	Apliques	61	YUCA	Exterior	278
CLIK	Apliques	44	KANSAS	Exterior	283	PISA	Plafones	88	ZEN	Exterior	290
CLOCK	Apliques	38	KAYU	Técnico	124	PLUMA	Apliques	23	ZOOM	Técnico	110
COPE	Baño	158	KEKE	Colgantes	260	POINT	Técnico	129			
CORA	Apliques	42	KEKE	Exterior	272	PRADO	Técnico	131			

16/10	Casio	32-161
16/13	Casio	32-161
16/50	Casio	32-161
16/300	Mul	191
16/329	Milano	33
16/330	Archer	33
16/412	Kali	90
16/429	Jour	189
16/511	Akil	91
16/608	Unax	36
16/627	Geal	173
16/656	Ben	53
16/657	Aram	249
16/659	Azael	34
16/694	Dora	29
16/695	Gilda	31
16/696	Ondas	29
16/734	Ordes	178
16/736	Flex	45
16/737	Alan	40
16/738	Noa	40
16/739	Fer	45
16/752	Boston	63
16/764	Mara	178
16/766	Iztac	178
16/779	Doble	58
16/780	Carlo	59
16/782	Benet	59
16/784	Bandit	58
16/2014	Okra	288
16/2015	Boj	288
16/2018	Cala	281
16/2027	Hulla	284
16/2028	Durillo	284
16/2032	Kendo	27-282
16/2033	Kowa	27-282
16/2038	Zen	290
16/2039	Cube	287
16/2040	Boj	288
16/2041	Okra	288
16/3017	Neus	63-177
16/3020	Perla	31
16/3033	Custom	60
16/3071	Dina	29
16/3089	Icon	24
16/3175	Nelly	153
16/3183	Aqua	168

16/3184	Ilma	167
16/3189	Gala	22
16/3200	Box	155
16/3239	Cio	43
16/3240	Aron	50
16/3252	Boan	199
16/3263	Bella	30
16/3268	Pluma	23
16/3269	Bora	167
16/3272	Lisa	55
16/3296	Jal	173
16/3298	Ura	154
16/3299	Axel	14
16/3300	Frida	14
16/3309	Bimba	164
16/3310	Yaku	164
16/3311	Nero	164
16/3349	Emma	23
16/3350	Lisa	55
16/3356	Malva	279
16/3357	Lotto	14
16/3384	Curve	217
16/3386	Alba	15
16/3387	Dana	16
16/3391	Yei	170
16/3413	Adan	62
16/3414	Cora	42
16/3415	Celsio	40
16/3421	Ariel	48
16/3423	Luca	21
16/3424	Kira	19
16/3432	Aldo	39-176
16/3439	Sawa	117
16/3445	Asen	50
16/3456	Nanok	225
16/3473	Flexi	228
16/3519	Jonas	37
16/3521	Lola	34
16/3522	Bea	37
16/3527	Aliena	161
16/3546	Norma	26
16/3559	Ares	160
16/3561	Dustin	160
16/3563	Picto	61
16/3566	Air	21
16/3567	Jubal	50
16/3568	Manat	51

16/3571	Clock	38
16/3572	Frank	170
16/3574	Leya	38
16/3577	Edgar	130
16/3578	Paul	130
16/3579	City	33
16/3592	Loira	153
16/3593	Garona	153
16/3596	Amanzi	194
16/3616	Silvia	159
16/3621	Wave	172
16/3623	Sasa	35
16/3624	Irene	23
16/3625	Electra	35
16/3641	Belo	18
16/3642	Samoa	218
16/3660	Panau	49
16/3663	Sofia	180
16/3664	Hold	54
16/3665	Laika	48
16/3666	Landa	45
16/3667	Micron	45
16/3672	Flow	163
16/3681	Dominica	221
16/3682	Tube	52
16/3684	Ankara	16
16/3694	Jonsu	21
16/3695	Buton	20
16/3697	Wendy	53
16/3698	Candy	56
16/3699	Lyon	43
16/3720	Biak	42
16/3721	Quatro	105
16/3727	Bastet	55
16/3730	Menorca	175
16/3736	Clik	44
16/3737	Craft	44
16/3752	Bastra	17
16/3755	Denver	41
16/3764	Zoom	111
16/3765	Miura	131
16/3766	Prado	131
16/3767	Regal	131
16/3776	Tempo	28-152
16/3777	Dos	181
16/3778	Vanila	179
16/3780	Blas	19

16/3781	Alema	46-47
16/3784	Thriller	130
16/3794	Adela	166
16/3795	Dario	62
16/3796	Shadow	25
16/3797	Mauro	197
16/3798	Cinquantas	174
16/3799	Bari	197
16/3800	Abbi	171
16/3801	Tubus	165
16/3804	Petra	197
16/3805	Hollywood	198
16/8121	Dacia	269
16/8133	Elba	253
16/8163	Maui	255
16/8169	Kin	256
16/9040	Weex	195
16/9304	Vesi	196
16/9405	Elma	196
16/9406	Adriana	196
16/9437	Olivia	192
16/9438	Olter	193
16/9439	Estela	190
206	Pisa	88
285	Sol	94
338	Meg	86
388	Goya	103-208
390	Soft	85
395	Dins	89-185
412	Kali	90
490	Esus	88-184
511	Akil	91
521	Smart	104
966	Urko	106
969	Moon	83-184
1020	Omar	107
2001	Yuca	278
2002	Acai	276
2003	Dalia	276
2004	Saudo	278
2005	Lima	289
2006	Lima	289
2013	Tilo	277
2017	Ficus	280
2020	Solar	286
2023	Yomu	283
2024	Aka	281

2025	Kansas	283	3436	Roku	145	3687	Herc	235	4089	Lux	158
2026	Sun	280	3440	Sawa	117	3688	Apex	119	4092	Bill	173
2038	Zen	290	3441	Arko	125	3690	Alexia	134	4101	Fanny	177
2151	Marta	264	3444	Belenus	98-223	3692	Sent	229	4110	Samba	156
2042	Vulcan	285	3447	Angus	68	3702	Nassau	230	4115	Nui	116
2043	Bond	286	3448	Uzza	80	3706	Aten	102	4116	Budelli	115
2173	Elena	266-267	3450	Dilga	73-206-207	3707	Tiga	246	4117	Isquia	115
3054	Murta	227	3453	Isia	66-202-205	3708	Jarvis	243	5338	Meg	86
3055	Mirta	226	3455	Austral	222	3709	Belep	243	5388	Goya	208
3117	Blanca	85	3456	Nanok	224-225	3710	Bagao	245	5412	Kali	90
3118	Tris	92	3467	Vanduo	125-186	3711	Bellona	246	7006	Ciro	242
3195	Onna	237	3468	Branco	125-186	3712	Ulawa	247	7113	Saul	107
3196	Tai	237	3472	Lina	89-184	3713	Tao	247	7147	Areli	106
3223	Aser	87	3473	Flexi	228	3714	Tana	244	8009	Emes	250
3233	Sky Spot	146	3497	Madison	79-183-275	3715	Wallis	244	8013	Dekla	248
3234	Sky Box	147	3512	Square	78-183-275	3721	Quatro	105	8022	Dion	249
3235	Studio	120-232	3533	Iro	142	3722	New	124	8100	Xola	265
3236	Alb	185	3536	Tuba	112	3723	Yes	124	8121	Dacia	269
3245	Gabo	240	3537	Tuba	112	3724	Halo	101-209	8125	Martin	264
3251	Atrezzo	120	3538	Apex	119	3725	Waka	138	8127	Dago	240
3288	Bios	143	3541	Clever	123	3726	Kuba	138	8133	Elba	252-253
3289	Rexa	143	3542	Soho	123	3728	Star	93	8136	Galanda	264
3291	Yon	149	3543	Ital	101-231	3731	Spectra	57	8138	Lirio	264
3292	Niga	149	3550	Tami	113	3738	Esfera	236	8140	Volta	268
3355	Kentia	279	3554	Hera	137-186	3740	Shiitake	97-210	8146	Palmyra	251
3358	Vania	126	3555	Fotsy	137-186	3742	Aliso	69-212-213	8151	Keke	260-272
3360	Asis	105	3556	Bardo	112	3750	Ara	127	8152	Laysan	263
3384	Curve	216-217	3557	Winka	139	3743	Claudia	150	8157	Kure	263
3405	Lambda	126	3558	Einar	139	3744	Celia	150	8163	Maui	254-255
3406	Dseta	126	3562	Bendis	238-239	3758	Minsk	74	8164	Praia	258
3408	Yota	128	3565	Oslo	104	3759	Munich	77	8165	Yamena	259
3409	Gamma	128	3569	Salsa	96	3760	London	70	8169	Kin	256-257
3410	Delta	128	3585	Marco	148	3761	Turin	81	8171	Night	274
3411	Epsilon	128	3587	Kyoto	99-211	3762	Carre	121	8172	Take me	261-271
3412	Apex	119	3629	Royal	95	3763	Sima	121	8173	Move it	261-273
3416	Tami	113	3631	Live	84	3764	Zoom	110-111			
3417	Adroa	103	3642	Samoa	98-218-219	3768	Tango	132-133			
3419	Cintia	102	3646	Laina	92	3771	Kidal	140			
3420	Dono	148	3656	Moala	241	3773	Ufo	214-215			
3426	Kika	141	3657	Tari	235	3781	Alema	47			
3427	Shiro	141	3677	Nork	136	3785	Point	129			
3429	Tinia	94	3678	Velt	136	3788	Antea	135			
3430	Kayu	124	3679	San	136	3789	Doro	135			
3431	Deka	124	3680	Bip	137-187	3790	Lou	135			
3433	Nintu	242	3681	Dominica	100-220-221	3792	Soul	122			
3434	Inari	242	3685	Shiru	235	4034	Cope	158			
3435	Kore	144	3686	Enon	233	4087	Sara	157			

Reference Referencia	Family name Nombre familia	Protection IP Protección IP	Light colour Color de luz
Material Material	16/3268 Pluma IPXX		
Finish Decoración	Metal-Metal	Estimated lumens Lúmenes estimados	CRI CRI
	Textured white-Blanco texturado		Installation Instalación
	16/3268-22	LED 6W 660lm 3200K CRI>80	PCB
	ON-OFF	TRIAC	DALI/PUSH
Reference Referencia	A32681B	A32681BDT	A32681BDP
Protection (Class) Protección (Clase)	(No dimmable) code Código (no dimmable)	Triac Code Código Triac	Dali/Push Code Código Dali

CRI CRI

CRI (Índice de Reproducción Cromática)


Capacidad para reproducir los colores en comparación con una fuente de luz natural.

CRI (Chromatic Reproduction Index)


The color rendering index of a light is a measure of its ability to reproduce the colors of various objects faithfully in comparison with an ideal or natural light source.

GRADO DE PROTECCIÓN PROTECTION RATE

Resistencia del artículo a la entrada de partículas externas como polvo y agua.
Protection rate against dust and water.



REMOTE CONTROL



MANDO MONOCANAL

El mando monocanal tiene como función regular la intensidad de luz de un único grupo de luminarias que están enlazados a él.

SINGLE CHANNEL REMOTE CONTROL

The single channel remote control function is to dimm only one group of luminaries linked to it.

MANDO A DISTANCIA



MANDO MULTICANAL

El mando multicanal puede controlar la intensidad de luz de 4 grupos de hasta 50 luminarias por grupo y de manera individual cada grupo. También dispone de 3 posiciones de memoria capaz de almacenar distintas configuraciones entre grupos.

MULTICHANNEL REMOTE CONTROL

The multichannel remote control is able to dimm 4 groups of 50 luminaries maximum per group. It has 3 memories for storing the multiple configuration of all groups.

CLASE DE PROTECCIÓN CLASS PROTECTION

Clase I / Class I

Protección de la instalación con cable de toma de tierra/Protection of the installation with earth wire.

Clase II / Class II

Protección de la instalación con doble aislamiento de los cables/Protection of the installation with double isolation wire.

Clase III / Class III

Luminaria para muy baja tensión de protección (MBTS)/Luminaire for protective low voltage (SELV).

SISTEMA DE DIMADO DIMMING SYSTEM



TRIAC (PHASE CUT)

Este sistema utiliza los tradicionales reguladores de iluminación incandescente. La instalación del controlador es muy simple y no se necesitan cables adicionales. Esta es una regulación por corte de fase, por lo que corta la señal de 230V que entra en el driver de la luminaria. El driver recibirá la tensión dependiendo de la posición de la rueda de variación. "Para obtener una regulación correcta, el regulador tiene que ser para tecnología Led".

This system uses the traditional regulators of incandescent lighting. The installation of the controller is very simple and no extra cables are needed. This is a regulation that works for phase cut. It cuts the 230V signal entering the driver of the luminaire. The driver will receive the voltage depending on the position of the dimmer. "To achieve a correct dimming, make sure that the dimming system is for LED technology"

DALI

DALI es un sistema avanzado de regulación. Puede conectarse con sistemas domóticos a través de un cuadro de distribución. Requiere cableado adicional. Es un sistema complejo que se puede utilizar todo tipo de reguladores. Se conecta a una unidad de control DALI que gestiona la luz de una casa entera, o comunidad entera. Puede agrupar varias luminarias en grupos o escenarios. O programar cada luminaria de manera personalizada.

It is an advanced system of regulation. You can connect with home automation systems, through a switchboard. It requires extra wiring. It is a complex system that can be used all types of regulators. It is connected to a DALI control unit that manages the light of a whole house, or entire community. You can group several luminaries in groups or scenarios. Or schedule each luminaire in a personalized way.

PUSH

El sistema de regulación PUSH, está controlado por un pulsador. Se debe instalar al menos un cable extra. Con una pulsación rápida el dispositivo se enciende, y con otra pulsación rápida el dispositivo se apaga. Si se presiona y se mantiene pulsado, la intensidad de la luz aumenta. Si volvemos a mantener el botón pulsado, cambia la dirección de regulación, en este caso, la intensidad disminuiría.

The PUSH dimming system, it is controlled by a button. At least one extra cable/wire must be installed. A quick press and the power is on. Another quick press and the device turns off. If you press and hold down the intensity of the light rises. If we hold the button it changes the direction of regulation. In this case the intensity would drop.

TECNOLOGÍA e-Blue ELT TECNOLOGÍA e-Blue ELT



TECNOLOGÍA e-Blue

Es un sistema de control integral de iluminación a través de smartphone o tablet (iOS y Android).

Permite personalizar la intensidad de luz y color, configurar horario y orden de funcionamiento de las luminarias asociadas, entre muchas otras posibilidades, ofreciendo una nueva experiencia de iluminación. La aplicación es gratuita.

e-Blue TECHNOLOGY

With e-Blue technology you can control your lighting by smartphone or tablet (iOS and Android), creating the right atmosphere for each situation. Regulate intensity of lights, at just it's colours and many more options.


You will experience a new way of lighting.

The application is free


YOU CAN DOWNLOAD TECHNICAL DATA, WARRANTY, IES FILES & IMAGES...

PUEDES DESCARGAR INFORMACIÓN TÉCNICA, GARANTÍAS, CURVAS FOTOMÉTRICAS, IMÁGENES...


WWW.ACBILUMINACION.COM



COD.	Socket Casquillo	V/Hz	W	LUM	° Kelvin	CRI	Angle Ángulo	Life Span Vida Útil	Size Tamaño	Packaging Embalaje
ACB62109	GU10	220-240V/50-60Hz	8W	850	3000K	80	120°	25.000h	50x56mm	20 units
ACB62122	GU10	220-240V/50-60Hz	8W	850	4000K	80	120°	25.000h	50x56mm	20 units
ACB62110	GU10	220-240V/50-60Hz	8W	850	5000K	80	120°	25.000h	50x56mm	20 units




COD.	Socket Casquillo	V/Hz	W	LUM	° Kelvin	CRI	Angle Ángulo	Life Span Vida Útil	Size Tamaño	Packaging Embalaje
ACB62069	E27	220-240V/50-60Hz	6W	550	3000K	80	160°	25.000h	45x78mm	20 units
ACB62126	E27	220-240V/50-60Hz	6W	550	4000K	80	160°	25.000h	45x78mm	20 units
ACB62070	E27	220-240V/50-60Hz	6W	550	5000K	80	160°	25.000h	45x78mm	20 units




COD.	Socket Casquillo	V/Hz	W	LUM	° Kelvin	CRI	Angle Ángulo	Life Span Vida Útil	Size Tamaño	Packaging Embalaje
ACB62434	E27	220-240V/50-60Hz	9W	900	3000K	80	180°	25.000h	45x82mm	20 units
ACB62435	E27	220-240V/50-60Hz	9W	900	4000K	80	180°	25.000h	45x82mm	20 units
ACB62436	E27	220-240V/50-60Hz	9W	900	5000K	80	180°	25.000h	45x82mm	20 units




COD.	Socket Casquillo	V/Hz	W	LUM	° Kelvin	CRI	Angle Ángulo	Life Span Vida Útil	Size Tamaño	Packaging Embalaje
ACB62393	E27	220-240V/50-60Hz	14W	1500	3000K	80	270°	25.000h	60x120mm	10 units
ACB62394	E27	220-240V/50-60Hz	14W	1500	4000K	80	270°	25.000h	60x120mm	10 units
ACB62395	E27	220-240V/50-60Hz	14W	1500	5000K	80	270°	25.000h	60x120mm	10 units



COD.	Socket Casquillo	V/Hz	W	LUM	° Kelvin	CRI	Angle Ángulo	Life Span Vida Útil	Size Tamaño	Packaging Embalaje
ACB62431	E14	220-240V/50-60Hz	9W	900	3000K	80	180°	25.000h	45x86mm	20 units
ACB62432	E14	220-240V/50-60Hz	9W	900	4000K	80	180°	25.000h	45x86mm	20 units
ACB62433	E14	220-240V/50-60Hz	9W	900	5000K	80	180°	25.000h	45x86mm	20 units



COD.	Socket Casquillo	V/Hz	W	LUM	° Kelvin	CRI	Angle Ángulo	Life Span Vida Útil	Size Tamaño	Packaging Embalaje
ACB62437	E14	220-240V/50-60Hz	9W	900	3000K	80	270°	25.000h	37x110mm	20 units
ACB62438	E14	220-240V/50-60Hz	9W	900	4000K	80	270°	25.000h	37x110mm	20 units
ACB62439	E14	220-240V/50-60Hz	9W	900	5000K	80	270°	25.000h	37x110mm	20 units



COD.	Socket Casquillo	V/Hz	W	LUM	° Kelvin	CRI	Angle Ángulo	Life Span Vida Útil	Size Tamaño	Packaging Embalaje
ACB62105	G9	220-240V/50-60Hz	4W	400	3000K	80	360°	30.000h	16x50mm	50 units
ACB62106	G9	220-240V/50-60Hz	4W	400	5000K	80	360°	30.000h	16x50mm	50 units



COD.	Socket Casquillo	V/Hz	W	LUM	° Kelvin	CRI	Angle Ángulo	Life Span Vida Útil	Size Tamaño	Packaging Embalaje
6BOMB048	E27	220-240V/50-60Hz	7W	650	2700K	80	360°	25.000h	64X140mm	1 unit



COD.	Socket Casquillo	V/Hz	W	LUM	° Kelvin	CRI	Angle Ángulo	Life Span Vida Útil	Size Tamaño	Packaging Embalaje
6BOMB049	E27	220-240V/50-60Hz	7W	750	2700K	80	360°	25.000h	95X134mm	1 unit



Your Lighting Company

Toda la información en este catálogo sirve simplemente como una indicación y no es vinculante para la empresa. La empresa se reserva el derecho de modificar o variar los productos para mejoras técnicas o estéticas sin previo aviso. Las marcas y los logotipos pertenecen a sus legítimos propietarios.

Tutte le informazioni presenti in questo catalogo sono soltanto indicative e non sono vincolanti per l'azienda. La società si riserva il diritto di modificare o effettuare variazioni sui prodotti per miglioramenti tecnici o estetici senza preavviso. I marchi e i loghi appartengono ai legittimi proprietari.

All information in this catalogue merely serves as an indication and it is not binding for the company. The company reserves the right to modify any contents or information, even without prior notice. Brand names and logos belong to their legitimate owners.

Toutes les informations contenues dans ces catalogues ont une valeur indicative, et ne s'entendent pas contraignantes pour l'entreprise. La société se réserve le droit de modifier tout contenu ou information, en y apportant des améliorations techniques et visuelles, y compris sans communication préalable. Les marques et logos sont propriété de leurs dépositaires légitimes.

Alle Angaben in diesem Katalog dienen lediglich als Hinweis und sind für das Unternehmen nicht verbindlich. Das Unternehmen behält sich das Recht vor, Inhalte oder Informationen auch ohne vorherige Ankündigung zu ändern, um technische oder ästhetische Verbesserungen zu erreichen. Markennamen und Logos gehören ihren rechtmäßigen Eigentümern.

Los diseños que contiene este catálogo de la empresa española con CIF B96498233, están registrados y protegidos por la Ley de Protección de Diseño Industrial. All designs included in this catalogue from the Spanish Company with CIF B96498233, being registered and protected by the Industrial Design Protection Law.

© Copyright. 2019 CIF B96498233

The logo consists of the letters 'ACB' in a bold, red, sans-serif font. The background of the entire page is a repeating geometric pattern of light gray lines forming a series of interlocking diamonds or cubes.

Camino de Valencia 104, CP.46190
Ribarroja del Turia (Valencia) Spain

www.acbiluminacion.com